

Quarry project of

M/s Cochin Blue Metal Industries Private Limited

Ramapuram Village

Ramapuram Panchayath

Meenachil Taluk

Kottayam District

Kerala State

Compliance report

(Ref: E.C. No. 67/SEIAA/KL/7904/2012 dt. 23-05-2013)

for the period up to

May 2015

TABLE OF CONTENTS

Item No.	Description	Page No.
I.	About the proponent	7
	About the project	
	Project category	7
II.	Project location	7
	Project extent and activity	7
	Project description	7
III.	Report of Compliance	
	Compliance of Specific Conditions	8
	Compliance of General Conditions	9 - 17
IV.	Plates	
	Plate S.1(1) – Lorry with sprinklers	21
	Plate S.1(2) – Aerial sprayers	23
	Plate S.2 – Storm water storage tank	25
	Plate S.3(1) – Tarred access road	27
	Plate S.3(2) – Tarred internal road	29
	Plate G.1 – Rain water storage area	31
	Plate G.3- Avenue trees	33
	Plate G.5 – Truck with sprinkler	35
	Plate G.10 – Blasting time display	37
	Plate G.12 – Access road to the quarry	39
	Plate G.13 – Overburden stack	41
	Plate G.14 – Benches	43
	Plate G.16 – Mining depth	45
	Plate G.18 – Acoustic enclosure	47
	Plate G.19 – Workers with protective	49
	equipments	
	Plate G.22 – Garland drains	51
	Plate G.23 – Clarifier/Silt trap	53
	Plate G.31 – Display board	55
V.	Annexure	
	Annexure S.4 – Bill copy of purchase of	A1
	explosives	Λ1
	Annexure G.8 - Activities done towards	A2
	Corporate Social Responsibility	$\Lambda \mathcal{L}$
	Annexure G.24(1) – Copy of quarrying	
	lease deed valid for a period of 10 years	A3-A21
	from 23.05.2009 to 22.05.2019 and the	113-1141
	copy of proceedings of the Director of	

Mining & Geology sanctioning the quarrying lease	
Annexure G.24(2) – Copy of permission No. SZ/VGR/P-05-106(2)(b)/2012-13/1077 dt. 15.06.2012 issued by the Directorate General of Mines Safety for deployment of HEMM and to conduct deep hole blasting	A22-A23
Annexure G.24(3) – Copy of License (No. A4-01/2015-16 dt. 02.07.2015) for the quarry unit and License (No. A4-03/2015-16 dt. 01.07.2015) for the metal crusher unit, issued by Ramapuram Grama Panchayath	A24-A27
Annexure G.24(4) – Copy of license (No. E/SC/KL/22/1403 (E57088) dt. 20.05.2014 valid up to 31.03.2016) issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine	A28-A32
Annexure G.24(5) – Copy of registration of metal crusher unit issued by the Directorate of Mining and Geology (No. 3183/M3/2015 dt. 26.03.2015) for the financial year 2015-16	A33-A38
Annexure G.24(6) – Consent to operate for quarry unit (Consent no. PCB/KTM/ICO/R ₂ /2341/2015 dt. 29.06.2015) issued by the Kerala State Pollution Control Board valid up to 30.06.2018	A39-A43
Annexure G.24(7) – NOC (No. A1-453/2013 dt. 23.01.2013) issued by the Fire and Rescue Services, Kottayam for operation of crusher unit	A44
Annexure G.24(8) – Proceedings of the District Medical Officer dt. 26.02.2013 (No. C2-447/13), Kottayam issuing NOC for the crusher unit	A45-A47
Annexure G.28(1) – Copy of advertisements given in the Kerala Kaumudi newspaper dt. 16.07.2013 and in The Indian Express dt. 16.07.2013	A48

I. ABOUT THE PROPONENT

M/s Cochin Blue Metal Industries Pvt. Ltd. possesses a quarry project in Ramapuram Village, Ramapuram Panchayath, Meenachil Taluk, Kottayam District, Kerala state.

State level Environment Impact Assessment Authority Kerala (SEIAA Kerala) accorded Environmental Clearance No. 67/SEIAA/KL/7904/2012 dated 23.05.2013 to the quarry project in Ramapuram Village, Ramapuram Panchayath, Meenachil Taluk, Kottayam District, Kerala managed by M/s Cochin Blue Metal Industries Pvt. Ltd..

M/s Cochin Blue Metal Industries Pvt. Ltd. is a company registered with CIN No. U14200KL2008PTC022264 controlled and managed by Mr. Clement K. Jose, Director, M/s Cochin Blue Metal Industries Pvt. Ltd., P.O. Methiri, Kottayam – 686576; Tel. No. 0482-2244311; Mob. No. 09446006474; Fax No. 0487-2421801; E-mail: cochinbluemetals@gmail.com.

II. ABOUT THE PROJECT

a. Project category:

The project comes under the Category B, Activity 1(a) of Schedule of EIA Notification 2006 and subsequent amendments.

b. Project location:

Sy. Nos. 1/3, 1/4, 1/5, 1/7, 8/2, 8/4, 9/1, 9/2, 9/3, 9/7, 8/3 and 8/2-1 at Ramapuram Village, Ramapuram Panchayath, Meenachil Taluk, Kottayam District, Kerala. The proposed project site falls within 9^0 50' 38.4944" N to 9^0 50' 48.9527" N and 76^0 38' 0.5663" E to 76^0 38' 9.0562" E.

c. Project extent and activity:

The project is for quarrying of 2,94,000 TPA of building granite stone from an area of 4.8910 hectares of land located as specified above.

d. Project description:

The proposed project does not involve any underground mining activities. The mining is done by open cast semi mechanized method. At the end of life of mine, the reclaimed area will be suitably planted. The sewage of 1 KLD generated from the mine office is diverted to the septic tank followed by soak pit. The daily water requirement of 5 KLD is met from storm water reservoir and/or well.

III. REPORT OF COMPLIANCE

A. SPECIFIC CONDITIONS

Item No.	Stipulations in EC	Status of Compliance	Remarks
S1	During the excavation, levelling and site development works, the site should be sprinkled with water at regular intervals to ensure that all the rock benches and ledges and quarry access roads are kept damp at all times.	Lorries with sprinklers and aerial sprayers are provided in the project site for ensuring water sprinkling/ spraying at regular intervals so that all the rock benches and ledges and quarry access roads are kept damp at all times.	Plate S.1(1) – Lorry with sprinklers (Page 21) Plate S.1(2) – Aerial sprayers (Page 23)
S2	All the rainwater falling in the area should be collected in the storm water storage tank.	All the rainwater falling in the area is collected in the storm water storage tank.	Plate S.2 – Storm water storage tank (Page 25)
S3	All the roads under the control of the proponent should be tarred.	All the roads under the control of the proponent are tarred.	Plate S.3(1) – Tarred access road (Page 27) Plate S.3(2) – Tarred internal road (Page 29)
S4	Delay detonator should be used.	Delay detonator is used.	Annexure S.4 – Bill copy of purchase of explosives (Page A1)

B. GENERAL CONDITIONS

Item No.	Stipulations in EC	Status of Compliance	Remarks
G1	Rain water harvesting to collect and utilize the entire water falling in land area should be provided.	Provision is made for storage of rain water.	Plate G.1 – Rain water storage area (Page 31)
G2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Environment Monitoring Cell has been constituted under the chairmanship of the Director of the firm.	
G3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Avenue trees are planted along either side of the tarred road and open parking areas inclusive of approach road and internal roads.	Plate G.3- Avenue trees (Page 33)
G4	The project shall incorporate devices for solar energy generation and utilization wherever possible.	Solar energy is not utilized for the project activity at present. Exploiting solar energy is under consideration.	
G5	Sprinklers shall be installed and used in the project site to contain dust emissions.	Sprinkling is done in the project site by trucks to contain dust emissions.	Plate G.5 – Truck with sprinkler (Page 35)
G6	The eco-restoration plan submitted with the proposal should be fully implemented.	Eco-restoration plan shall be fully implemented during mine closure.	
G7	At least 10 percent out of the total excavated pit area should be	At the time of the closure of the mine, it shall be ensured that the directions contained are scrupulously followed.	

EC Compliance report of M/s Cochin Blue Metal Industries Private Limited

	retained as water storage areas and the remaining area should be reclaimed with stacked dumpings and overburden and planted with indigenous plant species that are eco-friendly.		
G8	Corporate Social Responsibility agreed upon by the proponent should be implemented.	The earlier activities done towards CSR are continued.	Annexure G.8 - Activities done towards Corporate Social Responsibility (Page A2)
G9	Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that falling of animals/human/belongings/dumping of garbages etc. does not happen.	Barbed metal wire fencing around the mining area with a height of not less than 5 feet is provided.	
G10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	Warning alarms indicating the time of blasting is arranged.	Plate G.10 – Blasting time display(Page 37)
G11	Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.	Scrupulously follows the directions contained.	
G12	Access roads to the quarry shall be tarred to contain dust emissions that	Access roads to the quarry site are tarred.	Plate G.12 – Access road to the quarry (Page 39)

	may arise during transportation of		
	materials.		
G13	Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.	Overburden is stacked in pre-determined site specified for the purpose.	Plate G.13 – Overburden stack (Page 41)
G14	Height of benches should not exceed 5 m and width should not be less than 5 m.	Height of benches is maintained as per the specifications.	Plate G.14 – Benches (Page 43)
G15	Mats to reduce fly rock blast to a maximum of 15 PPV should be provided.	Mats are used to reduce fly rock blast.	
G16	Mining depth should not exceed beyond 40 m, unless otherwise specified or not below the level of nearest stream bed, whichever is less.	The maximum depth of mining is above ground level.	Plate G.16 – Mining depth (Page 45)
G17	No mining operations should be carried out at places having a slope greater than 45°.	It is ensured that no mining is carried out at places having a slope greater than 45°, if any.	
G18	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures are provided for the crusher unit to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by KSPCB.	Plate G.18 – Acoustic enclosure (Page 47)

G19	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The workers on the site is provided with the required protective equipment such as ear muffs, helmet, etc.	Plate G.19 – Workers with protective equipments (Page 49)
G20	Assurance in the form of affidavit should be given to SEIAA that ecorestoration including the mine closure plan shall be done at the own cost of the project proponent.	Affidavit was submitted to SEIAA.	
G21	Assurance in the form of affidavit should be given to SEIAA that only a maximum of 10 percent of the total mined area shall be retained as water body, which shall be lined properly and further provided with protective wall to prevent accidents.	Affidavit was submitted to SEIAA.	
G22	Garland drains to be provided in the lower slopes around the core area to channelize storm water.	Garland drains are provided to channelize storm water.	Plate G.22 – Garland drains (Page 51)
G23	Debris/ silt traps to be provided to prevent entry of dust and quarry wastes entering the main streams.	Debris/ silt traps are provided.	Plate G.23 – Clarifier/Silt trap (Page 53)
G24	All other statutory clearances should have been obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Clearances are obtained from: 1. Department of Mining and Geology [Annexure G.24(1)] 2. Directorate General of Mines Safety [Annexure G.24(2)]	Annexure G.24(1) – Copy of quarrying lease deed valid for a period of 10 years from 23.05.2009 to 22.05.2019 and the copy of proceedings of the Director of Mining & Geology sanctioning the

3. Rampuram Grama Panchayath [Annexure G.24(3)]	quarrying lease. (Pages A3-A21)
4. Petroleum and Explosives Safety Organization (former Explosives Department) [Annexure G.24(4)]	Annexure G.24(2) – Copy of permission No. SZ/VGR/P-05-106(2)(b)/2012-13/1077
5. Registration of Metal Crusher Unit [Annexure G.24(5)]	dt. 15.06.2012 issued by the Directorate General of Mines
 Kerala State Pollution Control Board [Annexure G.24 (6)] 	Safety for deployment of HEMM and to conduct deep
7. Fire and Rescue Services, Kottayam[Annexure G.24(7)]	hole blasting (Pages A22-A23).
8. District Medical Officer, Kottayam [Annexure G.24(8)]	Annexure G.24(3) – Copy of License (No. A4-01/2015-16 dt. 02.07.2015) for the quarry
	unit and License (No. A4-03/2015-16 dt. 01.07.2015)
	for the metal crusher unit, issued by Ramapuram Grama Panchayath (Pages A24-A27).
	Annexure G.24(4) – Copy of
	license (No. E/SC/KL/22/1403 (E57088)
	dt. 20.05.2014 valid up to 31.03.2016) issued by the Petroleum and Explosives
	Safety Organization for possession for use of
	explosives from magazine (Pages A28-A32).
	Annexure G.24(5) – Copy of

			registration of metal crusher unit issued by the Directorate of Mining and Geology (No. 3183/M3/2015 dt. 26.03.2015) for the financial year 2015-16 (Pages A33-A38).
			Annexure G.24(6) – Consent to operate for quarry unit (Consent no. PCB/KTM/ICO/R ₂ /2341/2015 dt. 29.06.2015) issued by the Kerala State Pollution Control Board valid up to 30.06.2018 (Pages A39-A43).
			Annexure G.24(7) – NOC (No. A1-453/2013 dt. 23.01.2013) issued by the Fire and Rescue Services, Kottayam for operation of crusher unit (Page A44).
			Annexure G.24(8) – Proceedings of the District Medical Officer dt. 26.02.2013 (No. C2-447/13), Kottayam issuing NOC for the crusher unit (Pages A45-A47).
G25	In the case of any change(s) in the scope of the project, the project	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	

	would require a fresh appraisal by		
	this Authority.		
	The Authority reserves the right to		
	add additional safeguard measures		
	subsequently, if found necessary,		
	and to take action including		
GO.	revoking of the environment	The company shall abide by the directions of SEIAA Kerala in	
G26	clearance under the provisions of	such a context, if arises.	
	the Environment (Protection) Act,		
	1986, to ensure effective implementation of the suggested		
	safeguard measures in a time bound		
	and satisfactory manner.		
	•		
	The stipulations by Statutory Authorities under different Acts and		
	Notifications should be complied		
	with, including the provisions of		
	Water (Prevention and Control of		
	Pollution) Act, 1974, the Air	Strict compliance is adhered to and is reviewed nonic disally by	
G27	(Prevention and control of	Strict compliance is adhered to and is reviewed periodically by the top management.	
	Pollution) act 1981, the	the top management.	
	Environment (Protection) Act,		
	1986, the Public Liability		
	(Insurance) Act, 1991 and EIA		
	Notification, 2006.		
	The project proponent should	Advertisements regarding the obtaining of Environmental	Annexure G.28(1) – Copy of
G28	advertise in at least two local	Clearance was given in two newspapers:	advertisements given in the
	newspapers widely circulated in the	1. Kerala Kaumudi (Malayalam daily) dt. 16.07.2013	Kerala Kaumudi newspaper

	region, one of which (both the	[Annexure G.28(1)] and	dt. 16.07.2013 and in The
	advertisement and the newspaper)	2. The Indian Express (English daily) dt. 16.07.2013	Indian Express dt. 16.07.2013
	shall be in the vernacular language	[Annexure G.28(1)].	(Page A48).
	informing that the project has been		
	accorded Environmental Clearance		
	and copies of clearance letters are		
	available with the Department of		
	Environment and Climate Change,		
	Govt. of Kerala and may also be		
	seen on the website of the Authority		
	at www.seiaakerala.org. <u>The</u>		
	advertisement should be made		
	within 10 days from the date of		
	receipt of the Clearance letter and a		
	copy of the same should be		
	forwarded to the office of this		
	Authority as confirmation.		
	A copy of the clearance letter shall		
	be sent by the proponent to		
	concerned Grama Panchayat/		
	District Panchayat/		
	Municipality/Corporation/Urban	 Copy of EC sent to Secretary, Ramapuram Grama Panchayath. 	
G29	Local Body and also to the Local	i anchayatti.	
	NGO, if any, from whom		
	suggestions / representations, if any,		
	were received while processing the		
	proposal. The clearance letter shall		
	also be put on the website of the		

	company by the proponent.		
G30	The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the Directorate of Environment and Climate Change, Govt. of Kerala.	Conditions are being complied with. This report is in compliance with the submission of six monthly compliance reports; and is up to May 2015.	
G31	The conditions of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.	The conditions of Environmental Clearance are prominently displayed in a metallic board.	Plate G.31 – Display board (Page 55)
G32	The proponent should provide affidavit that all the conditions stipulated in the EC shall be scrupulously followed.	Affidavit was submitted to SEIAA.	

IV. PLATES



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited





EC Compliance report of M/s Cochin Blue Metal Industries Private Limited





EC Compliance report of M/s Cochin Blue Metal Industries Private Limited



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited

Page **39** of **58**



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited


Page **41** of **58**



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited





EC Compliance report of M/s Cochin Blue Metal Industries Private Limited



EC Compliance report of M/s Cochin Blue Metal Industries Private Limited

Page **53** of **58**



V. ANNEXURE

МЕННА FORMS, СОСНЯКЪРН : (04Q4) 2373080

Lic No. E/SC/HQ/KL/79(61315) Lic. No. E/SC/KL/21/2(E8285) Lic. No. E/SC/KL/21/212(E53255) Lic No. E/SC/KL/21/213(49464) 05/05/2010 Date: IV/743 A, Piravom P.O., Ernakularn Dt., Kerala - 686 664. 智差 Dealers in Explosives & Fire Works) C Ph:0485 2241565, 0484 2747110 (Res) BIII No.: Tax Invoice (Cashcredit) 00 FURM NO Mathiri Pü,Amnakkara,Kottayam(Dist) E/SC/KL/22/1403(ES/008) Director, Cocnin Bimeneral IndustriesPytito Cocnin blue (E57088) Ajithkumar .M. TIN: 32071208422-C

EKKANS TRADER

Sun 90 Class-2.5364 49666 (25 49.80x) 8376/2/8 19.2 1680.60 12 17200.00 2780.0								
Sun 90 Class-2(356) 49464 (25 kg/80x) 8376/2/8 114 158060 12 19200.00 12 19200.00 2754.60 Freight Charge Roundes Roundes Roundes Rupees Unly) 10 tall Ami: 224000				2-				
Freight Charge Roundea	Sun 90 Class-2(394) 49464 (25 kg/Box)	9/2	14.4		19.00.00	2.5		21764,89
Noundes Nousand Four Hundred Rupaes Unity)	President Phases				\$6*69761		-	21984.89
NA Six Indusand Four Hundred Rupess Unly)	Rounded							4416,06
ny Six Incusand Four Hundred Rupees Unly)						9		
bees			N ₁		dol iii jen	S THE S TO SHALL S		90° 90
	bees							

A Goodskarbonspolivil eqibertakombankaklikispurasia 2000bin tio o tangan darishik topansion/camellation and it is valid as on the case of this pill. E&O.E.

SOCIAL RESOPONSIBILTIES OF COCHIN BLUE METALS

MEDICAL HELP [APRIL-2015 TO JULY-2015]

- 1. MEDICAL HELP PAID TO GEORGE KUTTI, ETTUMANOOR:RS:500/-
- 2. MEDICAL HELP TO THANKACHAN PARTHOTTEL, POOVAKKULAM RS:300/-
- 3. MEDICAL HELP TO GEORGE, POOVAKKULAM RS:3000/-
- 4. MEDICAL HELP TO THOMAS, KOTTACKAL (H), MUVATTUPUZHA RS:500/-
- 5. MEDICAL HELP TO T.K.RATHEESH, POOVAKKULAM RS:10000/-
- 6. MEDICAL HELP TO SARASAMMA, CHOOZHIKKARA RS:5000/-
- 7. MEDICAL HELP TO SHAJI PK, EDAYAR RS:500/-
- 8. MEDICAL HELP TO SASI, KOTTAYAM RS:500/-
- 9. MEDICAL HELP TO PREMKUMAR, CHENGANASSERY RS:500/-
- 10. MEDICAL HELP TO S.T SAJEEV, CHAKIRAYAMTHADATHIL, ETTUMANOOR RS:500/-
- 11. MEDICAL HELP TO GOAPALKRISHNAN, VAZHITHALA RS:250/-
- 12. MEDICAL HELP TO MARY (CANCER PATIENT), RAMAPURAM RS:5000/-
- 13. MEDICAL HELP TO ANEESH.M (FOR KIDNEY OPERATION), THODUPUZHA RS:1500/-
- 14. MEDICAL HELP TO SHYAMLAL, KUDALOOR RS:500/-
- 15. MUVALOOR KARUKAPALLY SALIM CHILKISA FUND RS:1500/-
- 16. MEDICAL HELP TO MANOJ JOSEPH , PUTHUSSEY (H), PALA RS:1000/-
- 17. RAMAPURAM JEEVAN RAKSHA SAMITHI (FOR 3CHILDREN LEVER REPLACING)RS:25000/-

CHARITY INSTITUTION [APRIL-2015 TO JULY-2015]


- 1. C.R KESAVAN VAIDYAR NATIONAL CHARITABLE TRUST, RAMAPURAM RS:30000/-
- 2. BODHI DARMA CHARITABLE TRUST, KOTTAYAM RS:1500/-
- 3. SNEHA THEERAM CHARITABLE TRUST, PURAPUZHA RS:2000/-
- 4. PROMISE LAND CHARITABLE TRUST, PIRAVOM RS:1000/-
- 5. ARDRADHA CHARITABLE TRSUT, KOOTHATTUKULAM RS:1000/-
- 6. ASHRAYA CHARITABLE TRUST, KOOTHATTUKKULAM RS:12000/-

CHURCH, TEMPLE, CLUBS & SCHOOL

- 1. NMYM, CHORAKUZHI RS:1500/-
- 2. UNITED ARTS & SPORTS CLUB, PUTHUVELY RS:1500/-
- 3. SREERAMA SWAMI TEMPLE, RAMAPURAM RS:3000/-
- 4. AYYANKUZHAKKAL SREEDARMA SASTHA MAHADEVA TEMPLE ,POOVAKKULAM RS:10000/-
- 5. KALATHOOR SREEKRISHNA KSHETHRAM, KALATHOOR RS:17500/-
- 6. SREE PECHIYAMMAN KOVIL, THAMARAKADU RS:2000/-
- 7. NOORUL ISLAM MADRASSA, VAZHITHALA RS:5500/-

NIRDHANA KUDUMBA SAHAYA PROJECT like pension scheme (Each Month 1000/head)

APRIL-2015 TO JULY-2015 (18 PERSON) RS:72000/-



scin of Sri. P.V. Kunjibava the Managing Director, Cochin Blue Metal Industries (P) Ltd, Methiri.P.O., Kottayam-686 576 resident of Pokkakkillath House, Edathiruthy Panchayath, Ward No. II, House No. 356, Eadathiruthy P.O., Pin-680703, Eadathiruthy Kara, Edathiruthy Village, Kodugaloor Taulk now residing at Best Villa, Master Avenue Road, Mundupalam PO., Thrissur in the Village of Chiyyaram, Taluk of the Thrissur, Thrissur District (hereinatter called the "lessee" which expression shall where the context so admits, include his executors, administrators,

hereinafter reserved and contained the State Government both hereby demise up to the lessee the land measuring 2.4640 hectares described in the schedule hereunder the delineated on the plan here to annexed and therein coloured red (hereinafter called the "said lands") to hold

Witnesseth that in consideration of the rents and royalties and lessee/covenants,

P.K.Jaleel gall

A3

representatives and permitted assigns) of the other part.

KORAH.A Geologist

C00-1933 29.05.09 16 1008 - p. x Jakel Cechin plus 1661 In Method Tologo - Ord Charles and the ord hard him Presented with other arts and A & Do A 2007 P K N. MOHAN Dresented with affect of the Ab Regulii of Ramagnum VENDOR, KOTTA at 11-40000 on 8915 day of Pene 2009 with photos and 18 8463/- paid by swider of Pokka Kkallath Home was J. P.K. Jaleel gamel 0915 Oure 2009 J. V. Surendrano Any Freb Registras tracculian admitted long P.K. Jaleel games residuit of pokeakki llatt from now residing of Best Villa, Mangey Director Rochin Blue Metal Sudustries Of Les 5/0 P.V. Knywho ava Ladalbira I have saling ind omyoup as to a 2 nd accountant Mining & Geology Dist office Kotteymon who is exemption on poment appearing that See . S. B.V. Surandhan Gulle 67) 8 4 (1) 1

same for a period of 10(ten) years commencing from the day. ... 25.05.209 and ending on the day. ... 23.05.2019 for the purposes of extracting minor minerals and subject to the terms and conditions contained in the Kerala Minor-Minerals Concession rules, 1967 (hereinafter referred to as "the Rules") and to the terms and conditions hereinafter appearing.

- The lessee shall have the right in and upon the said lands to extract Granite Building Stone (hereinafter called the said mineral) and to do all acts necessary for the extraction of the said mineral including the erection on the said lands, buildings and plant required for the purposes and also to take lead and carry away over the said lands and to dispose off the said minerals extracted as aforesaid.
- The lessee shall during the subsistence of this lease have the liberty to work the said mineral and remove the same from the quarry hold on permits issued by the competent authority or any other officer authorised by him in this regard. The permits shall be issued only on the basis of pre-paid royalty at the rates specified in schedule I to these Rules. The royalty rates shall be subject to revision from time to time as the State Government may order.
- 3. The lessee shall pay to the State Government an yearly surface rent equal to the land revenue if any, assessable under the rules for the time being the force, or if the land be the property of Government or in reserve forest then equal to the land revenue plus cess, if any per hectare of the land the surface whereof shall be occupied or used by the lessee for any of the purposes of this demise and so in proportion for any area less than a hectare. The said surface rent shall be paid by yearly payments, the first of such payments to be made on or before the last day of the first year of occupation provided always that no such rent shall be paid or demanded in respect of any roads or ways now in existence.
- The lessee shall at all time during the currency of this demise keep correct and intelligible books of account showing accurately the quantity of the said minerals extracted and the weight and value of the said mineral sold or exported together with the names of the purchases or consignees. The lessee shall also, maintain a register of employees showing therein separately men and women employed daily and shall at all reasonable times allow the competent authority appointed under the rules (hereinafter referred to as "competent authority")or the officer authorised by him to examine the said books of account and the register of employees and to take copies and extracts there from. The lessee shall submit reports in Forms 'F' and 'G' on the specified dates.

KORAH.AG Seologist

P.K.Jaleel Gaul

Contd.....3

Followfited by Shajahan e.m Shyr 8/0 muhammand Bonssiness Residings at Chattan Kotta House Rymmanam P. o Prigan. A.T. Jamb s/o Thankappan. Company Employee * Party of Andikodan (H), Malo lichar. p. a. 0516 Vine 2005 (1) in Book Trio. 677 11099. V. Sunusdrum deles In Book I Volume 889 as sheet Meling plan.
Pages 375 to 363 sheets 8 sheet Meling plan. 05% - Dane 2003 (he

A6

- All sums found due under or by virtue of this deed from the lessee may be recovered from him jointly and severally from them and his properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue or in any other manner as the State Government may deem fit.
- The lessee shall at the lessee's own expense erect and at all time maintain and keep in repair boundary marks and pillars along the boundaries of the said lands according to the demarcation shown in the plan hereto annexed.
- No quarrying operations or working shall be carried on or permitted to be carried on by the lessee in or under the said lands at any point within a distance of 75 meters from any railway line except with the previous permission in writing of the railway administration concerned; and from any bridge on the National Highway or 50 meters from any reservoir, canal or other public works such as public roads and buildings or inhabited site, burial ground etc...shown on the plan thereto annexed except with the previous permission in writing of the State Government or otherwise than in accordance with such instructions, restrictions and condition either general or special which may be attached to such permission. The said distance of 50 meters shall be measured in the case of a railway, reservoir, or canal horizontally from the outer edge of the bank or outer edge of the cutting, as the case may be and in the case of a building horizontally from the plinth thereof. In the case of village roads no. workings shall be carried on within a distance of 10 meters of the outer edge of the cutting except with the previous permission in writing of the State Government. For the purposes of this clause the expression "railway and railway administration "shall have the same meaning as defined in sub section (4) and (6) of section 3 of Indian Railway Act, 1890(IX of 1890)
- 8. The sides of open workings shall sloped, stepped or secured by the lessee in such a manner as to prevent danger from falls of material, when an open working is worked in steps, steps shall be of sufficient breadth in relation to their height to secure safety. In open workings trees liable to fall and all loose ground and material shall be removed by the lessee sufficiently far from the edge or otherwise made source in order to prevent danger to persons employed in the quarry.
- 9. If a working place is found to be unsafe all persons shall be withdrawn by the lessee immediately from the dangerous area and all access to such working place except for the purpose of removing the danger of saving life shall be prevented by securely fencing the full width of all entrances to the place.

KORAH.AG Geologist P.K.Jaleel 9aul

A STATE OF THE STA A CONTRACTOR OF SPECIES AND ACTUAL PROPERTY OF STREET AND ACTUAL STREET, AND ACTUAL STREET, AND ACTUAL STREET, promoted the break trackers of an exercise becomes of all all exercises. and the property of the property property of the block of the best the constitution is several to the street of the several sever The second section of the second second

and the second of the property of the second of the second

- The lessee shall at all reasonable times allow any officer authorised by the Central Government or by the State Government in that behalf to inspect the said land and the buildings and plants erected thereon and the lessee shall assist such persons in conducting afford them all information they may reasonably require, and shall conform to and observe all orders which the Central and State Government as the result of such inspection or otherwise, may from time to time pass.
- 10A. The lessee shall be responsible for implementing the provisions of the various labour laws applicable, from time to time to the quarry.
- 11. The lessee shall not assign or underlet the said lands or any part thereof or the rights or privileges, therein hereby granted or any of them without the previous permission in writing of the competent authority.
- 11A. Where the lease or any right, title or interest therein has been assigned, sublet or transferred as provided in rule 34 read with condition 11, then the person in whose favour such assignment, sublease or transfer has been made shall be responsible for implementing the provisions of the various labour laws applicable, from the time to time to the quarry.
- 12. The lease may be surrendered by the lessee at any time after 3 months notice in writing to the competent authority.

 Provided that the lessee has paid all sums due an account of the lease. Provided further that if the lessee elect to determine this lease before the expiry of the term of the lease, shall pay in addition to other dues a sum equal to the dead rent payable for the remaining part of the terms of the lease deed.
- On the expiration of the term of this lease or on its earlier determination under clause 12 the lessee shall pay to the State Government for all land which has been rendered useless for agriculture through the exercise of the powers demised by this lease such sum as the District Collector may fix as equivalent to the capitalized value or the land revenue of such land rendered useless. The lease shall continue if the sums are not cleared before the date of determination of notice.

KORAH.AG Geologist P.K.Jaleel Jaul

Contd......5

ales line letter bett flyter reces by the governor of the ome most year as extended to extend on the store of the second discountry of the The second state of the second there are also also the contract of all the results of the contract of the con ment of the position of the recent at the control of the property of the party of t 8009 to be with the artists and the survey by the light

- 14. If the lessee shall be desirous of taking a further lease of the said lands for a further term of years he shall give three months previous notice in writing of such desire to the competent authority and if the lessee has observed all the conditions of this lease, the competent authority may agree to renew the lease for such further term and on such terms and conditions as the competent authority may determine which shall be in accordance with the provisions of these rules.
- 15. If the lessee shall at any time during the said term use the said lands or any part thereof in any manner other than an authorised by this lease or fail to carry on quarrying operations continuously without sufficient cause of which the competent authority shall be the Judge or shall commit a breach of any of the conditions of this lease it shall be lawful for the competent authority to cancel this lease and take possession of the said lands or in the alternative to receive from the lessee such penalty for the breach not exceeding five times the amount of the said yearly dead rent as the competent authority may fix.
- 16. If at the expiration of three calendar months after the expiry of the lease or its sooner determination, there shall remain in or upon the said lands, any engines, machinery, plant buildings, structures and other works erections and conveniences the said minerals or other property which the lessee is entitled to remove from the said lands, the same shall, if not removed by the lessee within one calendar month after notice in writing requiring their removal be given to the lessee by the competent authority be deemed to become the property of the Sate Government in such manner as they may deem fit without liability to pay any compensation or to account to the lessee in respect thereof.
- 17. This lease is subject to all rules and regulations which may from time to time be issued by the State Government regulating the working of the quarries and other matters affecting the safety, health and conveniences of the lessee's employees or of the public, whether under the Indian Mines Act or otherwise.
- 18. The lessee shall without delay send to the District Collector and the competent authority or the officer authorised by him in this regard report of any accident causing loss of life or serious bodily injuries or seriously affecting or endangering life or property which may at any time occur at or in the said lands in the course of operations under this lease.

KORAH.A.

P.K.Jaleel

Contd......6

The late with the control explains to authorise of high everal and a control of the control of t

The second secon

characteristic efficience on the case begin area of improvement and account and poaccount resign of the country and account of the case of improvement and account of the
account resign of the country and account of the case of the country
and account resign of the case of the country and accountry and accountry
and account resign of the case of the country and accountry and accountry
and accountry and the case of the country and accountry and accountry
and accountry and the case of the country and accountry and accountry
and accountry and the case of th

2009

62)

with this into was a massed built of some valeto explains have where the part eith or may well count allow on the explains a month and the part of t

- 19. The lessee shall furnish such reports and returns relating to output, labourers employed and other matters as the State Government may prescribe.
- 20. The lessee shall make and pay such reasonable satisfaction and compensation as may be assessed by lawful authority in accordance with the law in force on the subject for all damage, injury or disturbance which may be done by him in exercise of the powers granted by this lease and shall indemnify and shall keep indemnified fully and completely the State Government against all claims which may be made by any person or persons in respect of any such damage, injury or disturbance and all costs and expenses in connection therewith.
- 21. Any conditions prescribed in the Kerala Minor Mineral Concession Rules, 1967 but left out in this lease which may be found applicable to the lessee shall be treated as binding on the lessee. In this case anticipated royalty for the mineral at the rate of Rs. 16/- (Rupees Sixteen only) per tonne for a period of one year is Rs. 4,00,000/- (Rupees Four Lakh only).
- 22. Dead rent realizable at the rate of Ist year Rs.Nil ,2nd year Rs. 200/- and 3rd year onwards Rs. 800/- per hectare subject to revision from time to time. Surface rent at the rate of Rs. 100/-(Rupees one hundred only) per hectare for one year is Rs. 246/- (Rupees Two Hundred and forty six only) security deposit is Rs. 1000/- (Rupees One thousand only).

The schedule above referred to Description of Land:

District	Village	Survey Nos. of the area	Area in Hectares
Taluk			
Kottayam	Ramapuram	8/2-1,1/7,1/3,1/5,9/2,9/7, 8/2 and 8/3	2.4640
Mennachil			

KORAH.A.G

Geologist

P.K.Jaleel

Contd......7

tions of the contract of the c

This is a realizable of the series events allocated as

2009 60) 8 6 Ay Bounded by Sy Nos.

On the North by. : 1/4,9/1, 9/5pt, 8/1 and 7

On the East by. : 9/5, 9/9, 8/1, 7, 5

On the South by. : 1/2, 8/4, 1/6, 5

: 1/4, 1/2, 8/4, 2 On the West by.

In witness whereof the parties hereto have set their hands hereunto on the day

and year first above written.

Signed by for and on behalf of the Governor of Kerala.

A.G. Korah Geologist Dept. Of Mining & Geology Dist. Office, Kottayam-2

In the presence of

1. Sangeetha Sathish, Assistant Geologist 2)

26 mana M.D. V.D Typist Gurany


P.K. JALEEL gamp For and on behalf of the lessee

1. A.T. Peryan Sto Chankappan Some Andikodone 1), Marothchelp. o Cheissur of, pin Groom.

2 Abdu Mujeed sto munammad, ofmagli. Icayamkum(4), Chessee 18, Enlacad P.O.

Daplicale no one There is no difference between original and duplicate and no scorings and interlinations Escamined by: Thomas Toseph L.O. cark Trail Compand? Ready Br probomitine Britis.
By S Excerinor! Thomas Foseph. L.D. could Thing. 9th day of Jane 2009 Sub Registral P. V. Suindnan. of the state of the said 8009 677

AIR



A 17

PROCEEDINGS OF THE DIRECTOR OF MINING AND GEOLOGY

Sub: Mines and Minerals-Minor Minerals-Granite Building Stone-Quarrying lease to M/s. Cochin Biue Metal Industries Pvt. Ltd., Mathiri P.O., Kottayam – 686 576-Sanctioned-Orders issued-reg

Ref : 1. Application dt. 13-03-2009 from M/s: Cochin Blue Metal Industries Pvt. Ltd., Mathiri P.O., Kottayam - 686 576

 Letter No. 506 A/DOY/ML/09 dt. 25-03-09, 30-04-09 & 8-5-09 of the Sr. Geologist, Dist. Office, Kottayam

3. Kerala Minor Mineral Concession Rules, 1967

No. 45/2009-10/2558/M3/2009

Dated., Tvpm., 12-05-2009

ORDER

A quarrying lease is Granted to M/s. Cochin Blue Metal Industries Pvt. Ltd., Mathiri P.O., Kottayam – 686 576 to quarry Granite Building Stone over an area of 2.4640 hectares of patta land comprised in Re-Sy. Nos. 8/2-1, 1/7, 1/3, 1/5, 9/2, 9/7, 8/2 & 8/3 of Block No. 26 of Ramapuram Village, Meenachii Taluk, Kottayam District for 10 (Ten) years from the date of execution of the quarrying lease deed under the Kerala Minor Mineral Concession Rules, 1967 and as per the Survey map issued by the Tahsildar: Meenachii and submitted by the applicant subject to the under mentioned conditions.

- Royalty is payable to Government as per Rule 29(1)(c) of the Keraia
 Minor Mineral Concession Rules, 1967 in respect of minor mineral quarried and
 moved out of the quarry subject to revision from time to time on the basis of
 amendments to the schedule I of the said Rules.
- Dead rent/is realisable under 29(1)(d) of the said rules subject to revision from time to time on the basis of amendments to the schedule II of the said rules.
- Surface rent realisable under 29(1)(e) of the said rules will be equal
 to the land revenue assessed by the Revenue Department subject to revision
 from time to time on the basis of the land revenue.
- 4. The lessee shall execute a quarrying lease deed within a period of three months from the date of this order in form 'H' as per Ruly 32 of the Kerala Minor Mineral Concession Rules, 1967.
- 5. The lessee shall also deposit an amount of Rs. 1000/- (Rupces One Thousand only) as security deposit for the observance of the terms and conditions of the lease before the deed is executed as per rule 31 of the said rules. The lessee shall commence quarrying operation only after the deed is executed.

A 18

- 6. The quarrying area shall be demarcated and boundary stones fixed at the lessee's expenses before execution of the quarrying lease deed.
- 7. The lessee shall not win and dispose any type of dimension and decorative stones from the area over which the quarrying lease has been sanctioned on the strength of this order.
- 8. The production of Granite Building Stone from the area covered under this grant shall be restricted to 25,000 MT (Twenty five thousand only) per-year during the tenure of this quarrying lease.
- 9. The lessee should exhibit a signboard and a notice board for the intimation of the public at the entrance of the quarry. The following information should be inscripted on the notice board both in English & Malayalam.

for information of public:

to the control of the AND CONTROL OF THE CO Name of permit/ Quantity permitted Validity period Licence of the permit lease holder

10. The lessee should provide retention wall/barricade/fencing compound wall surrounding the quarry before the commencement of the quarrying operation for preventing accidents by failing of human beings animals and materials into the quarry. The lessee should take effective preventive measures for the safety of labourers as well as the general public.

11. The lessee should leave a distance of 7.5 mts. from the adjacent boundary lands

while carrying out quarrying operations.

12. The lessee should not assign sublet or transfer his lease or any right or interest therein to any person without previous permission of the Director of Mining and Geology.

The terms and conditions stated in this order are subject to such further modifications as may be made by the State Government from time to time.

> Sd/-C VASUDEVA DIRECTOR OF MINING AND GEOLOGY(I/C)

10/s. Cochin Blue Metal Industries Pvt. Ltd., Mathiri P.O., To Kottayam = 686 576

Copy to :

The Sr. Geologist, Dist. Office: Kottayam.

The Tahsilder: Meenachil

Stock File(2), File Copy

(BY ORDER)

SENIOR SUPERINTENI

gk/12-05-00/Cskn

2558/M3/2009

Directorate of Wining and Geology, Thiruvananthapuram-4

Dated :12-05-2009

From

The Director of Mining and Geology

To

M/s. Cochin Blue Metal Industries Pvt. Ltd., Mathiri P.O., Kottayam – 686 576

Sir.

Sub: Mines and Minerals-Minor Minerals-Granite (Building Stone)

-Preparation and execution of quarrying lease

deed-red-

Ref : Proceedings Order No. 45/09-10/258/M3/2009

Dated 12-05-2009 of the DMG

Please refer to the Proceedings Order cited wherein a quarrying lease for Granite Building Stone was granted to M/s. Cochin Blue Metal Industries Pvt. Ltd., Mathiri P.O., Kottayam – 686 576. I request you to prepare three copies of the quarrying lease deed —original on plain paper and two copies on Rs. 100/- stemp paper and produce the same before the Sr. Geologist, District Office: Kottayam for scrutiny and execution. After scrutiny of the quarrying lease deed, the Geologist will inform you a date convenient for execution. The date of execution will be filled up by the Geologist at the time of execution. After execution, a certificate of remittance of the value of stamp paper may be obtained from the R.D.O. concerned. A chalan for Rs. 1000/- (Rupees One thousand only) being security deposit is enclosed herewith duly countersigned. Please affix your signature at the appropriate places before remittance of money in the treasury. The original treasury receipted chalan may also be produced along with the typed copies of the lease deed and draft form. H. which is enclosed herewith, before the Sr. Geologist, Dist. Office: Kottayam at the time of execution.

Please note that the quarrying lease deed has to be executed within a period of three months from the date on which quarrying lease has been granted and got registered in accordance with the Registration Act, 1908 vide Rules 32(1)

2

and 33 of the Kerala Minor Mineral Concession Rules, 1967. Form E is also enclosed herewith for strict compliance and to report thereof.



Yours faithfully

OF QIRECTOR OF MINING AND GEOLOGY(I/C)

encl : as above

Copy to

The Sr. Geologist, Dist. Office: Kottayam (vide letter No. 506/DDY/ML/2009 dt. 25-3-09, 30-4-09 & 8-5-09).

He is instructed to execute the lease deed as and when it is received. The original survey map is enclosed herewith. Please acknowledge. A copy of the lease deed may be forwarded to this office soon after registration. The area under this grant should be demarcated and boundary stones fixed before execution of the quarrying lease deed.

You are instructed to obtain and forward the Form E to this office. No movement permit should be issued before the service of Form 'E'which is a statutory requirement. You are also directed to incorporate the details of lexes? 506 A/DOY/ML/09 dt. 8-5-09 regarding the extraction of Granke Building Stone from tire applied area on Form -2 report and forward a revised form - If to this office.

gk/12-05-09/Gop1/skn





Govt. of India Ministry of Labour & Employment Directorate General of Mines Safety Southern Zone, Bengaluru Region

No.SZ/BGR/P-05/106(2)(b)/2012-13/1077 Bengaluru, Dated, the 15/10/2012.

From Director of Mines Safety, Bengaluru Region, Southern Zone, #5, 17th Main, 100 ft. Road, 4th B-Block, Koramangala, Bangalore-560 034, Karnataka.

Shri P.K.Jaleel, Managing Director of M/s Cochin Blue Metal Industries (P) Ltd., and Nominated Owner of Cochin Blue Metal Mine. R/o Best Vill, Master Avenue Road, Mundupalam, P.O. Chelakkottukarm - 680 005, Trissur district State KERALA.

Sub.:- Permission under Reg. 106(2)(b) of the Metalliferous Mines Regulations, 1961 for deployment of HEMM and to conduct deep hole blasting in Cochin Blue Metal Mine of M/s Cochin Blue Metals Industries (P) Ltd.

Dear Sir,

Please refer to your letter No. CBM/106(2)(b)/2012/8 dated 7-1-2012, letter No. CBM/APPT/First Class Manager/2012 dated 7-5-2012 and letter No. CBM/106(2)(b)/2012/8-2 dated 31-01-2012 on the subject matter mentioned above.

The matter has since been examined in the light of what has been stated in your application. In exercise of the powers conferred on the Chief Inspector of Mines under the provisions of clause (2)(b) of Regulation 106 of the Metalliferous Mines Regulations, 1961 and by virtue of the authorization granted to me by the Chief Inspector of Mines (also designated as Director-General of Mines Safety) under Section 6(1) of the Mines Act, 1952, I hereby grant permission under Regulation 106(2)(b) of the Metalliferous Mines Regulations, 1961 to work by deploying Heavy Earth Moving Machinery and Deep Hole Blasting at Cochin Blue Metal Mine of M/s Cochin Blue Metals Industries (P) Ltd., subject to the conditions enumerated in the enclosed ANNEXURE - MMR 106(b)(2)(b) being strictly complied with.

1.1 This permission is being granted under Regulation 106(2)(b) of the Metalliferous Mines Regulations only, without prejudice to any other statutory requirements, which may be or may become applicable at any time.

- 1-2 ANFO shall not be used unless a proper licence for same is obtained from competent authority.
 - 1.3 This Directorate shall be informed as soon as mining operations are commenced in accordance with the above permission. Intimation about completion of mining operation should also be sent promptly and in any case not later than one month thereof.
 - 1.4 If at any time any one of the conditions subject to which this permission has been granted is violated or not complied with, this permission shall be deemed to have been revoked with immediate effect
 - 1.5 It may be amended, modified or withdrawn at any time should it be considered necessary in the interest of safety.
 - 1.6 In the event of any change in the circumstances connected with this permission which is likely to endanger the life of persons employed in the mine or the mine, the mining operations for which this permission has been granted, shall be stopped forthwith and intimation thereof shall be sent to the undersigned. The said mining operations shall not be resumed without express and a fresh written permission from this Directorate.

and led the medianest and the ball of the selection of the selection of the first and the first selection of the f

Michael Mines of Miss Colored Metals Industries (P) Ltd., subject to test retrottlines sense and control of the enclosed Anna Miss Anna (P) Ltd., subject to the enclosed Anna Miss Miss (P) Ltd., subject to the enclosed Anna Miss (P) Ltd., sub

Kindly acknowledge the receipt of the letter.

Yours faithfully,

Director of Mines Safety Bengaluru Region (SZ)





10102 100

1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13)232, 233, 234, 254 എന്നീ വകുപ്പുകൾ പ്രകാരവും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു കൊടുത്ത

00	~	-	-	ALCOHOL:	- rom
600	2000	VI.	U	CIC	W

ലൈസൻസുടമസ്ഥന്റെറ പേരും ജൂൻവിലാസവും	Sound on my my my on on one of -
എന്താവശ്യത്തിന് ലൈസൻസ് അുനുവദിച്ചു എന്ന്	20. H.b. 55 TESNING EDIN WARMEN 20. H. O.S.
ം കെട്ടിടയതിന്റെ നമ്പരും വാർഡു നമ്പരും	13/2-1 when monoballed on 215 Nowmonled.
മെലസൻസിന്റെ കാലാവധി	81/8/2016
ലൈസൻസ് ഫീസ്	4000 രൂപ പൈസ ;
ellan illegation of the set of a control of	B. 11404105304 83.31/3/2015

10112-1 100

ഗോമ പഞ്ചായത്ത്

வியன 02 07 2015

RAMAPURAM GRAMA P ALI BAZAR P.O.

Secretary Ramapuram Grama Panchayat

Ramapuram Bazar P. O. PH:04822 260248, 9496044653

Compagnition of the property of the property

GLM -34 K / 2000

റിമാര്ക്സ്

ലൈസൻസുടമസ്ഥൻ താഴെ പറയുന്ന വൃവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- പഞ്ചായത്ത് രാജ് ആക്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വെടിപ്പായും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപ്യവേമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച, അണുക്കൾ, പൊടി മുതലായവയുടെ ശലും ഉണ്ടാകാത്ത വിധത്തിലും സുക്ഷിക്കേണ്ടതാണ്:
- ഒതാഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്നമറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസുടമസ്ഥൻ വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
- പഞ്ചായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- ഏതൊരു പ്രവർത്തി ദിവസത്തിന്റെറയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- ഒതു സ്ഥലത്തിൻെറയോ പുരയിടത്തിൻെറയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നിക്കം ചെയിക്കണ്ടതാണ്.
- ചുമരുകളുടെ അകവശത്തിൻെറ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പുരയിടത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിനൃമോ ച്പുച്ചവറോ, അസ്ഹ്യമോ, ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധാം എപ്പോഴും നന്നായും കേടുപാട് തീർത്തും വയ്പിക്കേണ്ടതാണ്.
- ലൈസൻസുകാരൻ മേൽപറഞ്ഞ പുരയിടത്തിലോ, അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായും കേടുപാടുതീർത്തും വയ്പിക്കേണ്ടതാണ്.
- ഏതെങ്കിലും തരത്തിലുള്ള താക്ക് രോഗമോ കുഷ്ഠ രോഗമോ വ്രണമോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- ന് ന്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധ ത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസുകാരൻ തന്റെ പേരും, ലൈസൻസിൻെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്:
- അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദുചെയ്യുന്നതാണ്.

മുകളിൽ കാണിപ്പിരിക്കുന്ന വ്യവസ്ഥകളിൽ ഏതെങ്കിലും ലംഘിക്കുന്ന പക്ഷം ഈ ലൈസൻസ് റ്റ്റ് ചെയ്യുന്നത്രാണ്.

സെക്രട്ടറി

mma A4 - 03 2015-16

tolon les.

ഗാമ പഞ്ചായത്ത്

1994 റെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് (1984 ലെ 13)232, 233, 234, 254 എന്നീ വകുപ്പുകൾ പ്രകാരവും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു കൊടുത്ത

	ലൈസന്ദിസ്
ലൈസൻസുടമസ്ഥനെറ പേധും മേൾവിലാസവും	उठाक्रीण (७.०) ' द्वास्त्रक . एकात्रीण क्षिण्यक्ष क्षणणाद्धाण, (७०४१९ . २ विष्यत् . २४ व्याणा, जन्मध्यात्
എന്താവശൃത്തിന് ലൈസൻസ് അനുവരിച്ചു എന്ന്	(20mm, 12mm, 6mm adust, Rock Sand)
	The state of the s
കെട്ടിടത്തിൻെ നമ്പരും വാർഡു നമ്പരും	V/350-H
മൊസൽസിൻെ കാലാവധി	31/3/2016
ലൈസൻസ് ഫീസ് \	4000 രൂപ പൈസ
റിമാര്ക്സ്	29. 1140 110 2307 54. 31/3/2015 Manager meghod meghod meghod sold of the color of t
minon A4-03 2015-16 - 2	OI 07 2015 65 575 Ranapuram Grama Gr

GLM -34 K / 2000

PH:04832 260248, 0496044653

- പഞ്ചായത്ത് രാജ് ആക്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വെടിപ്പായും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപ്യുവേമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച, അണു ൾ, പൊടി മുതലായവയുടെ ശലും ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 3. തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമ്യഗികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്നമറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസുടമസ്ഥൻ വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
- പഞ്ചായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- ഏതൊരു പ്രവർത്തി ദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- ഒ ആ സ്ഥലത്തിൻെറയോ പുരയിടത്തിൻെറയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കപ്പെടുകനോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയിക്കേണ്ടതാണ്.
- 7. ലൈസൻസുകാരൻ ഏതൊരു കെട്ടിടത്തിൻെറയും ചുമരുകളുടെ അകവശത്തിൻെറ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ ചുരയിട്ടത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിനൃമോ ചപ്പുചവറോ, അസഹൃമോ, ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കമിലും എപ്പോഴും നനായും കേടുപാട് തീർത്തും വയ്പിക്കേണ്ടതാണ്.
- ലൈസൻസുകാരൻ മേൽപറഞ്ഞ പുരയിടത്തിലോ, അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായും കേടുപാടുതീർത്തും വയ്പിക്കേണ്ടതാണ്.
- ഏതെങ്കിലും തരത്തിലുള്ള ത്വക്ക് രോഗമോ കുഷ്ഠ രോഗമോ വ്രണമോ ഉളള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 10. ഏത് സ്ഥലത്തിൻെറ കാരൃത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധ ത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസുകാരൻ തൻെറ പേരും, ലൈസൻസിൻെറ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദുചെയ്യുന്നതാണ്.

12. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളിൽ ഏതെങ്കിലും ലംഘിക്കുന്ന പക്ഷം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.

സെക്രട്ടറി



GOVERNMENT OF INDIA MINISTRY OF COMMERCE & INDUSTRY PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION(PESO)

(Formerly Department of Explosives) Kendriya Bhavan, Block C-2, 3rd Floor

CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037

Tele: 2427286 Fax: 2427276 Email: dycceernakulam@explosives.gov.in

No.: E/SC/KL/22/1403(E57088)

Dated:20/05/2014

AJITHKUMAR.N,

Director, Cochin Blue Metal Industries Pvt Ltd, Mathiri Post, Amnakkara, Town/Village - Mathiri District-KOTTAYAM, State-Kerala, Pincode - 686575

Subject:

Possession for Use of of Explosives from magazine situated at Survey No.: Re-Sy. No. 2/4 of Block No. 26, Ramapuram village, Meenachil Taluk, Dist. KOTTAYAM, Kerala -Licence No.: E/SC/KL/22/1403(E57088) granted in Form LE-3 of Explosives Rules, 2008 -

Amendment of Quantity of Explosives/Monthly Purchase Limit .

Sir(s),

Please refer to your letter No. Nil dated 14/05/2014 on the subject cited above.

The Licence No.: E/SC/KL/22/1403(E57088) is duly amended in respect of;

Quantity of Explosives/Monthly Purchase Limit

with condition Valid authorised quarry permit/Lease in the name of the licensee for blasting operations at Sy.Nos.8/2-1, 1/7, 1/3, 1/5, 9/2, 9/7, 8/2 and 8/3 of Ramapuram Village, Meenachil Taluk, Kottayam and local state government authorities approval as applicable renewed from time to time shall be in possession, and forwarded herewith;

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below;

No	Explosive(s)		Class	Div	Sub Div	Capacity	Unit
1	Nitrate Mixture		2	0	0	300	Kg.
2	Safety Fuse		6	1	0	3000	Mtrs
3	Electric Detonators	19	6	3	0	2500	Nos.
4	Detonating Fuse		6	2	0	1500	Mtrs
5	Ordinary Detonator		6	3	0	3000	Nos.

Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]: 20 times as above.

This Licence shall remain valid till 31st day of March 2016.

An amount of Rs. 8000/- balance is in your credit, which may be utilized for future transaction by quoting this reference.

For further renewal of licence, please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

Enclosures:

Yours faithfully

Deputy Chief Controller of Explosives D. C. C. E., Ernakulam'!

Copy Forwarded to:

- District Magistrate, KOTTAYAM, Kerala with reference to his Noc No: H4-56900/2010/K.Dis Dated: 02/06/2011.
- Superintendent of Police, KOTTAYAM, Kerala

LICENCE FORM LE-3

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

Licence to possess: (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

Licence No.: E/SC/KL/22/1403(E57088)

Annual Fee Rs:2500/-

1. Licence is hereby granted to:

AJITHKUMAR.N (Occupier : Shri Ajithkumar.N.)

Director, Cochin Blue Metal Industries Pvt Ltd, Mathiri Post, Amna Richard

District-KOTTAYAM, State-Kerala, Pincode - 686575

2. Status of licensee : Company

 Licence is valid only for the following purpose: possess for use of Nitrate Mixture, Safety Fuse, Electric Detonators, Detonating Fuse, Ordinary Detonator,

(a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2,0	0	300 Kg.
2.	Safety Fuse	6,1	0	3000 Mtrs
3.	Electric Detonators	6,3	0	2500 Nos.
4.	Detonating Fuse	6,2	0	1500 Mtrs
5.	Ordinary Detonator	6,3	0	3000 Nos.

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]: 20 times as above.

5. The licensed premises shall conform to the following drawing(s):

Drawing No: E/SC/KL/22/1403(E57088) dated: 20/05/2014

The licensed premises are situated at following address:

Survey No. Re-Sy.No.2/4 of Block No.26, Town/Village: Ramapuram village, Meenachil Taluk

Police Station : Ramapuram

PinCode: 686575 Phone: 08086440440

District : KOTTAYAM E-Mail : State : Kerala Fax :

Town

नियान्त्र के

The licensed premises consist of following facilities: Pucca magazine of stone masonary construction consisting of lobby, main high

explosives room and detonator room seperately

- 8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.
 - (1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
 - (2) Conditions and Additional Conditions of this licence signed by the licensing authority.
 - (3) Distance Form DE-2
- 9. This licence shall remain valid till 31st day of March 2016

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 23/03/2012

Joint Chief Controller of Explosives South Circle, Chennai

Amendments:

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 04/12/2012
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 20/05/2014
 Endorsement for renewal of licence:

Date of Renewal

Date of Expiry

Signature of licensing authority

उ.मु.वि.नि., एरनाकुलम D. C. C. E., Emakulam

Statutory Warning: Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

The following are the conditions of licence number E/SC/KL/22/1403(E57088) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

The quantity of explosives on the premises at any one time shall not exceed the licensable capacity

The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.

The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.

The opening of packages and the weighting and packing of explosives shall not be carried on in the magazine.

- Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that-
 - (d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;

(e) Detonators belonging to Class 6 Division 3 shall be kept separately.

(f) Gun powder belonging to Class 1 shall be kept separately

- Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.

(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand. (ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitroglycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.

The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from:

Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in

which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.

If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fie, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other

than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered. No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any

condition that may be specified by the licensing authority in this behalf.

13. Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever,

14. The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.

15. Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

16. The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.

17. The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package. The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

20. Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.

21. Not more than 4 persons shall be allowed inside the magazine or store house at any one time. 22

Empty packages of the explosives shall be removed at the earliest and destroyed.

23. The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises

24 Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.

If the licensing authority or a Controller of Explosives informs in writing, the holder of the license to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

The possession and sale of fire-crackers generating noise level exceeding;

a) 125 dB(Al) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;

b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together

Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority

> For Joint Chief Controller of Explosives उ.मृ.वि.नि., एरनाकुलम् D. C. C. E., Ernakulam

(Set VIII)

The following are the conditions of licence number E/SC/KL/22/1403(E57088) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magezine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.

The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence. The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.

The opening of packages and the weighting and packing of explosives shall not be carried on in the magazine. 4.

- Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that-
 - (d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space; (e) Detonators belonging to Class 6 Division 3 shall be kept separately

(f) Gun powder belonging to Class I shall be kept separately

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except

with the special sanction of licensing authority. Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.

(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand. (ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitroglycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such

directions as to its disposal as the Chief Controller or Controller of Explosives may issue. The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from

grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from; Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in

which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept. If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as

satisfactory Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fic, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered. No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any

12. condition that may be specified by the licensing authority in this behalf.

Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority 13. forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.

The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules. 14.

Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action. The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable. 15.

The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored 16. 17. and to read the manufacture particulars of each package. The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms. 18.

A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials. 19 Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.

20. Not more than 4 persons shall be allowed inside the magazine or store house at any one time.

21. Empty packages of the explosives shall be removed at the earliest and destroyed.

The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises. 23.

Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.

If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or 25. alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority 26.

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

The possession and sale of fire-crackers generating noise level exceeding;

a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited; b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together. Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing

authority and local office of the licensing authority.

For Joint Chief Controller of Explosives उ.मु.चि.चि., प्रचिद्धलम D. C. C. E., Ernakulam

Form DE-2 (See rule 113 of the Explosives Rules, 2008) (Distance Form to be attached to the licence)

	Type of Structure(s)	afety distan	ces met
	Inside Safety Distances(ISD)	M	UM
1	Room or Workshop used in Connection with the Magazine	18	27
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
	Middle Safety Distances(MSD)		
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty	and the same	
8	Public Highway or Public Road	2	45
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Cl	nurch,	
	Gurudwara or other places of worships, Hospital, College, School or Factory		
	River Embankment or Sea Embankment or Public Well		
	Reservoir or Bounded tank/rope way		
12	Windmillor or Solar panel for Power Generation		
	Outside Safety Distances(OSD)		
	Dwelling House		
	Govt. and Public Building		
	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, Sci		
	Hospital, Theater, Cinema or other Building where the public are accustom	ed to	
	assemble		
	Factory D. H. G. H	T	
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or	other	82
10	inflammable or hazardous substances	alulus	0.2
9	Building or Works used for Storage and Manufacture of Explosives or of ar which contain Explosives	ticles	
n	Aerodrome		
	Furnace, Kiln or Chimney		
	Quarry or mine pit head		41
3	Power House or Electric Substation		
	Wireless Station		
	Warehouse or other Storage Building		
	Any other Protected works		
	Overhead Electric lines		
7	Electric Power over head Transmission Lines above 440V		82
	Et		CIL

The Date: 23/03/2012

For Joint Chief Controller of Explosives South Circle, Chennai

15

उ.मु.वि.नि., एरनाकुलभ

Amendments:

Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 04/12/2012

28 Electric Power over head Transmission Lines upto 440V

Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 20/05/2014

D. C. C. E., Ernakulam

- bill billetin novinter.

Directorate of Mining & Geology, Kesavadasapuram, Pathon Palace.P.O., Thiruvananthupuram - 4.

Tel/Fax: 0471-2447429

e-mail: director.dir.dmg@kerale.gov.in

www.dmg.kerala.gov.in

No. 3183/M3/2015

Dated : 26.3.2015

From

The Director of Mining & Geology

To

M/s.Cochin Blue Metal Industries Pvt. Ltd., Methiri P.O. Ramapuram, Kottayam

Sir

Sub: Mines & Minerals-Minor Minerals-KMMC Rules 2015 & Kerala Minerals (PUMST) Rules, 2015-Registration of Metal Crusher Unit of M/s.Cochin Blue Metal Industries Pvt. Ltd., Methiri P.O., Ramapuram, Kottayam-zeg

Ref: 1. Lr.No. 837/DOY/ML/2015 dt. 24..3..15 of the Geologist, District Office, Kottayam.

2. Reg.No.24/2015-16/RMCU/KTYM/3183/M3/2015 dtd. 26.3.2015.

I am forwarding herewith the Registration Certificate issued in FORM-L of the KIMMC Rules 2015 to M/s.Cochin Blue Metal Industries Pvt. Ltd., Methiri P.O., Ramapuram, Kottayam for the financial year 2015-16 based on your application for opting consolidated Royalty payment system. While issuing movement permits and mineral transit passes for transporting Granite aggregates from the Crusher Unit. You should before the Geologist all the documents required under Rule 49 of the KMMC Rules 2015 including Explosive licence, consent from the Pollution Control Board obtaining registration under Kerala Minerals (PIMST) Rules, 2015. While obtaining mineral transit passes in Form O(A) or O(B) of Kerala Minerals (PIMST) Rules, 2015.

X

U1174518

GOVERNMENT OF KERALA 2014-15

you should ensure that the passes contain the particulars stipulated in Rule 26(1) & 26(2) of these rules especially name seal and signature of the issuing authority.

You are also instructed to maintain registers stipulated in these rules and you should submit these registers before the before the Geologist as and when Movement Permits are issued. You are instructed to submit monthly return in Form-F and Annual statement in Form-C of the KMMC Rules without fail. You are further instructed to maintain a Register in the following manner showing the daily production and sales. The particulars in this register should be got verified by the office of the Geologist as and when movement permits are issued.

RECISTER TO BE MAINTAINED BY A LESSEE SHOWING DAILY TION AND SALEES OF GRANITE BUIL

Name of Lessee :

Lease No

Registration No. allotted to Metal Crusher Unit:

可以利用

Date	Opening balance in tonnes	Quantity produced in tonnes	Total	Quantity sold in tonnes	Mineral Transit pass on issued SLNo:—to	Clushing Signat balance are of in the tunnes lesse
(1)	(2)	(3)	(4)	(5)	(6)	(7) (8)

If you deviate from the instructions given above, this office will be forced to cancel the Registration granted to your Metal Crusher Unit.

DIRECTOR OF MINING & GEOLOGY

Copy to:-

The Geologist, District Office, Kottayam (for information and follow up actions)

VEK

GOVERNMENT OF KERALA 2014-15

0074618

BURN

1111

A 34

FORM L (See rule 91)

REGISTRATION CERTIFICATE ISSUED TO A REGISTERED METAL. CRUSHER UNIT

Registration No.24/2015-16/RMCU/KTYM/3183/M3/2015

Dbl.26.03.2615

The Metal Crusher Unit situated in Sy No.8/02-1, 1/7, 1/3, 1/5, 9/2, 9/7, 8/2, 8/3 of Ramapuram Village of Meenachil Taluk of Kottayam District and owned by M/s. M/s. Cochin Blue Metal Industries Pvt. Ltd., Methiri P.O., Ramapuram, Kottayam has been registered in the Department of Mining & Geology under Rule 91 of the Kerala Minor Mineral Concession Rules, 2015 for the production and sale of aggregates of granite (building stones) by operating the machines noted below. The owner of the registered metal crusher unit has been granted quarrying lease in Sy.No. 8/2-1, 1/7, 1/3, 1/5, 9/2, 9/7, 8/2, 8/3, 1/4, 9/1, 9/3 of Ramapuram Village of Meenachil Taluk for the extraction of granite (building stones) to be used in the crusher unit.

Jaw size used in the crusher unite	No. of Jaws
Cône Crusher (300 HP)	1 No(One only)
	A second
The particulars of the other machines, if any, used for crushing granite (building stone)	Primary Crusher 110 cm x 80cm - 1 No. Autosand Machine - 1 No
Particulars of quarrying leases based on which registration is granted	1. Pro.No.45/2009- 10/2558/M3/2009 dt. 1252009. 2. Pro.No.278/2014- 15/6638/M3/2014 dt. 1.8.14.

This registration will be in force for the financial year 2015-16

The registration already granted and which expired on 31st March 2015 is renewed up to 31st March 2016.

Conditions for Registration

The registration certificate shall be displayed in a prominent place in a part of the premises open to the public.

The owner of the registered metal crusher unit shall comply with the provisions of the Mines and Minerals (Development and Regulation) Act,1957 and the Kerala Minor Mineral Concession Rules, 2015 and all other orders issued by the competent authority in this regard from time to time.

The owner of the registered metal crusher unit shall display in a prominent place in a part of the premises the true list of granite aggregates

offered for sale by them.

Dated this the 26th day of March 2015

Side-D.F.Sreekumar Director of Mining & Geology

Seal of the Competent Authority

To

M/s. M/s.Cochin Blue Metal Industries Pvt. Ltd., Methbi P.O. Ramapuram, Kottayam

Copy to:

The Sr.Geologist/Geologist Dist. Office: Kottayam Stock File, File Chalan No.738 dt. 26/3/2015 for Rs.4,00,000 remitted at Dist. Treasury, Thiruvananthapuram

(By Order)

Senior Superintendent

I Quarter 2015-16

The lessee has to remit Rs.16,00,000 (Rs. Sixteen lakes only) being the consolidated royalty for one year. He has opted for 4 installments. He has remitted Rs. 4,60,000/- being the first installment. The next installment falls due on 30.6.15. He is eligible for movement permit for the period from 1.4.15 to 30.6.15

Note: The certificate shall be issued separately on payment of each installment...

27031301S

Director of Mining & Geology

Valu27.3



No. 837/DOY/ML/2015

Depat. of Mining and Geology District Office, Kottayam-2. email.geo.kot.dmg@kerala.gov.in Phone: 04812 301405. Date 01.07.2015

CERTIFICATE

As per Reg. No. 24/2015-16/RMCU/KTYM/3183/M3/2015, Dated 26.03.2015 allotted to the Registered Metal Crusher Unit, the Lesse, M/s. Cochine Blue Metal Industries (P) Ltd., Methiri.P.O., Ramapuram, Kottayam has to remit 16,00,000/- (Ruppes Sixteen Lakhs only) being the consolidated royalty for the financial year 2015-16. He has opted for payment of royalty in iv (Four) installments. He has remitted an amount of 4,00,000/- (Rupees Four Lakhs only) (vide Chalan No. 199, dated 30.06.2015 at District Treasury, Kottayam) being the 2nd installment falls due on 30.09.2015. He is eligible for movement permit upto 30.09.2015.

M/s. Cochin Blue Metal Industries (P) Ltd., Methiri, Ramapuram, Kottavam.

Copy to:

The Director of Mining and Geology, Thiruvananthapuram.

1	VALIDITY	Up to 30.06.2018	
2	Name and address of establishment	M/s. Cochin Blue Metal Ind Pvt. Ltd. (Q Methiri.P.O., Kottayam – 686,576	
3	Communication	Telephone: 0482 - 2244311	
4	Occupier details	Sri. P.K.Jaleel (Managing Dir Pokkakkillath House, Edathiruthy. P.O., Thrissur.	ector
5	Survey Number	1/7, 1/3, 1/5, 9/2, 9/7, 8/2,	8/3, 8/2-1
6	Extent of land	2.4640 Hectares	
7	Village	Ramapuram	
8	Taluk	Meenachil	
9	District	Kottayam	
10 .	Panchayath	Ramapuram :	
LI	Category	RED	
12	Scale	SMALL	
13	Capital Investment	₹ 55 lakhs	
14	Annual Fee	₹ 12,000/-	



₹ 36,000/-

150 lit/day

Granite quarry

Rubbles - 1500 T/day

Fee remitted

PRODUCTS

Water consumption

15

16


17

GENERAL CONDITIONS

- 2.1. This consent is granted based on the application, affidavit and other particulars file by the occupier, certificate from the Village Officer and subject to the power of the Board to review and made variation in or revoke the conditions as the Board deen fit.
- 2.2. This consent is issued subject to the Circular No.PCB/TAC/MoEF/416/08 date 05.12.2012 of the Chairman and subsequent directions, Government Order Circulars and Court Orders.
- 2.3. Any change in particulars furnished in the application/in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.
- 2.4. There shall be a minimum distance of 50m from boundary of quarry operating are to residential building, place of worship, public buildings, public road havin vehicular traffic, river or lake, railway line, bridges etc..
- 2.5. Quarrying shall be done only within the area marked in the location plan.
- 2.6. Noise creating activities such shall not be done during night time (6pm-6am).
- 2.7. The PM₁₀ in ambient air at the boundary shall not exceed 100μg/m³.
- 2.8. The sound level (Leq) at 1m outside the boundary of the site should not exceed the ambient noise standard applicable to the adjoining areas.

ADDITIONAL CONDITIONS

3.1. "The consent issued from the Board will be valid only for a period when all othe statutory or necessary clearances from other concerned authorities are valid. The consent issued from the Board is only with respect to the powers vested under the Water Act, 1974, Air Act 1981 and Rules there under. The operation of the unit shall be commenced only after obtaining clearances from all concerned authorities".



GENERAL CONDITIONS

- 2.1. This consent is granted based on the application, affidavit and other particulars file by the occupier, certificate from the Village Officer and subject to the power of the Board to review and made variation in or revoke the conditions as the Board deem fit.
- 2.2. This consent is issued subject to the Circular No.PCB/TAC/MoEF/416/08 date 05.12.2012 of the Chairman and subsequent directions, Government Orders Circulars and Court Orders.
- 2.3. Any change in particulars furnished in the application/in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.
- 2.4. There shall be a minimum distance of 50m from boundary of quarry operating are to residential building, place of worship, public buildings, public road havin vehicular traffic, river or lake, railway line, bridges etc..
- 2.5. Quarrying shall be done only within the area marked in the location plan.
- 2.6. Noise creating activities such shall not be done during night time (6pm-6am).
- 2.7. The PM₁₀ in ambient air at the boundary shall not exceed 100μg/m³.
- 2.8. The sound level (Leq) at 1m outside the boundary of the site should not exceed the ambient noise standard applicable to the adjoining areas.

3. ADDITIONAL CONDITIONS

3.1. "The consent issued from the Board will be valid only for a period when all othe statutory or necessary clearances from other concerned authorities are valid. The consent issued from the Board is only with respect to the powers vested under the Water Act, 1974, Air Act 1981 and Rules there under. The operation of the unit shall be commenced only after obtaining clearances from all concerned authorities".



- 3.2. Quarrying operations shall be started only after obtaining Mining permit/lease from Mining &-Geology Department and D&O license under the Kerala Panchayat Raj Ac from the concerned Local Self Government.
- 3.3. Adequate safety measures shall be provided in accordance with the fire and safety regulations.

DATE: 29.06.2015.




OFFICE SEAL

K.G. SAJEEV MENTER ENVIRONMENTAL ENGINEER SIGNATURE & SEAL OF ISSUING AUTHORITY

Office copy.





. 12

അസിസ്റ്റന്റ് ഡിവിഷണൽ ഓഫീസറുടെ കാര്യാലയം ഫയർ ആന്റ് റെസ്ക്യൂ സർവ്വീസസ്, കോട്ടയം തീയതി:23.01.2013

Mo.ag)1- 453/2013

നിരാക്ഷേപ സാക്ഷ്യപത്രം

കോട്ടയം ജില്ലയിൽ മീനച്ചിൽ താലൂക്കിൽ. താമപുരം വില്ലേജിൽ സർവ്വേനം.7/2,8/1,9/6,9/9,9/4,8/2,9/1,9/5,1/4,1/5,1/3,9/7,7/1,1/7,8/2,9/2,9/3,9/8,10/1,10/2,12/2/1, 12/2, 12/1/1, 12/1/2 ൽ ഉൾപ്പെട്ട വസ്തുവിൽ മെസ്സേഴ്സ് കൊച്ചിൻ ബ്ലൂ മെറ്റൽ ഇൻഡസ്ട്രീസ് പ്രൈവറ്റ് ലിമിറ്റഡ് എന്ന പേരിൽ പ്രവർത്തിച്ചുവതുന്ന മെറ്റൽ ക്രഷർ യൂണിറ്റ് വിപൂലീകരിച്ച് പ്രവർത്തനം നടത്തുന്നതിന് ഫയർ ആന്റ് റെസ്ക്യൂ സർവ്വീസസ് വകുപ്പിന്റെ നിരാക്ഷേപ സാക്ഷ്യപത്രം രാമപുരം പഞ്ചായത്ത് അധികൃതർ ആവശ്യപ്പെട്ടതനുസരിച്ച് ശ്രീ.പി.കെ.ജലീൽ, മാനേജിംഗ് ഡയറക്ടർ, മെസ്സേഴ്സ് കൊച്ചിൻ ബ്ലൂ മെറ്റൽ ഇൻഡസ്ട്രീസ് പ്രൈവറ്റ് ലിമിറ്റഡ്, മേതിരി.പി.ഒ, രാമപുരം സമർപ്പിച്ച അപേക്ഷ പ്രകാരം ടി ക്രഷർ യൂണിറ്റ് സ്ഥിതിച്ചെയ്യുന്ന കെട്ടിടവും പരിസരവും ഞാൻ 23.01.2013ൽ അഗ്നിപ്രതിരോധ വീക്ഷണത്തിൽ പരിശോധിക്കുകയും അനുയോജ്യമാണെന്ന് ബോദ്ധ്യപ്പെടുകയും ചെയ്തു.

കോട്ടയം ജില്ലയിൽ മീനച്ചിൽ താലൂക്കിൽ രാമപുരം വില്ലേജിൽ സർവ്വേ നം.7/2,8/1,9/6,9/9,9/4,8/2,9/1,9/5,1/4,1/5,1/3,9/7,7/1,1/7,8/2,9/2,9/3,9/8,10/1,10/2,12/2/1, 12/2, 12/1/1, 12/1/2 ൽ ഉൾപ്പെട്ട വസ്തുവിൽ മെസ്സേഴ്സ് കൊച്ചിൻ ബ്ലൂ മെറ്റൽ ഇൻഡസ്ട്രീസ് പ്രൈവറ്റ് ലിമിറ്റഡ് എന്ന പേരിൽ പ്രവർത്തിച്ചുവരുന്ന മെറ്റൽ ക്രഷർ യൂണിറ്റ് വിപൂലീകരിച്ച് പ്രവർത്തനം നടത്തുന്നതിന് ഫയർ ആന്റ് റെസ്ക്യൂ സർവ്വീസസ് ഡിപ്പാർട്ട്മെന്റിന് താഴെ പറയുന്ന നിബന്ധനക്ക് വിധേയമായി നിരാക്ഷേപ സാക്ഷ്യപത്രം അനുവദിക്കുന്നു.

STICER FIRE

കെട്ടിടത്തിൽ സ്ഥാപിച്ചിട്ടുള്ള അഗ്നി ശമന ഉപധികൾ എപ്പോഴും പ്രവർത്തന സജ്ജ

മായി സൂക്ഷിച്ചിരിക്കേണ്ടതാണ്,

അസിസ്റ്റന്റ് ഡിവിഷണൽ ഓഫീസർ ചായർ ആന്റ് റെസ്ക്യൂ സർവ്വീസസ്, കോട്ടയം

സെക്രട്ടറി, രാമപുരം പഞ്ചിയെത്ത് പ്ര പകർപ്പ്:- മാനേജിംഗ് ഡയറക്ടർ, മെസ്സേഴ്സ് കൊച്ചിൻ ബ്ലൂള്ളറ്റേൽ ഇൻഡ്ട്രീസ് പ്രൈവറ്റ് ലിമിറ്റഡ്,

മേതിരി.പി.ഒ, രാമപുരം

കോട്ടയം ജില്ലാ മെനികാൽ ആഷിനോട്ടരെ നടപടിക്രക.

വിഷയം : രാമപുരം ഗ്രാമപത്തായത്ത് - മെറ്റൽ ക്രഷർ യൂണിറ്റിലെ യദ്രയാലഗ്രികളുടെ കുതിരാക്ക് വർദ്ധിഷിക്കുന്നതിനും ധീസൽ ജനറേറ്റർ യോപിക്കുന്നതിനും നിരാക്ഷേപ സാക്ഷ്യപത്രം നൽകി ഉത്തരവാകുന്നു.

ഡുചന : 1. കത്ത് നമ്പർ ബി3-127/13 തീ 09.01.2013 ഡെക്രട്ടറി രാളപുരം ഗ്രാളപയൊന്നത്ത്. 2. ടെക്നിക്കൽ അസിസ്റ്റേറ്റ് ഗ്രേസ് 2 ഒറ്റ് അന്വേഷണ റിഷോർള്.

ളത്തരവ് നം.സി2- 447/13/ജി.മെ.ആ. കോട്ടയം തിയതി : 26/02/2013.

രാമപുരം ഗ്രാളപയൊയത്ത് 5-ാം വാർതിൽ രാളപുരം വിള്ളമിൽ സർവ്വേ നമ്പർ 9/4,5,6,8/1,7/2 ൽ ചെട്ടതും ശ്രീക്കുമന്റ് കെ ജോസ്. യയറക്ടർ, കൊച്ചിൽ ബ്ലൂ മെറ്റൽസ് എന്ന സ്ഥാപനത്തിന് നിലവി ലുള്ള മെറ്റൽ ക്രഷർ യൂണിറ്റിലെ യന്ത്ര സാമശ്രികളുടെ പ്രവർത്തനശേഷി വർതിഷിക്കുന്നതിനും, യിനൽ മനറേറ്റർ സ്ഥാപിക്കുന്നതിനും ഈ ആഷീയിൽ നിന്നും നിരാക്ഷേപ യാക്ഷ്യപത്രം ലഭിക്കുന്നതി നായി നമർഷിക്കപ്പെ സൂചന ക്രാപേഷ സംബന്ധിച്ച് നടത്തപ്പെട്ട പരിരോഗനയിൽ, ടി ക്രഷർ യൂണിറ്റിലെ യന്ത്രസാമശ്രികളുടെ പ്രവർത്തനശേഷി 1740 കുതിരശക്തിയായി വർതിഷിക്കുന്നതുകൊണ്ടും, യൂണിറ്റിനോടനുബന്ധിച്ച് 2120 കിലോ വാളിപ്പെർ ജനറേറ്റർ സാവിച്ചു (പ്രവർത്തിഷിക്കുന്നതു കൊണ്ടും യാതൊരുവിന പൊതുമനാരോഗ്യ (പര്നങ്ങളും ഉണ്ടാകാൻ സാവിച്ചു ത്രത്തിനാൽ താരെ പറ യുന്ന നിബന്ധനകൾക്കു വിനേയമായി നിരാക്ഷേപ സാക്ഷ്യപത്രം നൽകി ഉത്തരവാകുന്നു.

- അപേക്ഷകൻ സമർഷിച്ചിട്ടുള്ള കെട്ടിടനിർമ്മാണ രൂപ രേഖയിൽ മാറ്റം വരുത്തുവാൻ പാടില്ല.
- യൂണിറ്റിൽ ശുദ്ധജലത്തിന്റെ ലഭ്യത ഉറഷുവരുത്തുകയും സ്ത്രീ പുരുഷൻമാർക്കായി പ്രത്യേക വിശ്രമലുറി, കക്കൂസ്, മൂത്രഷുര എന്നിവ ഉറഷു വരുത്തണം.
- സൂണിറ്റിൽ അവാര്യ മരുന്നുകളോടെ പ്രാഥമ ചികിയാകെട്ടി സൂക്ഷിക്കേണ്ടതും കാലാകാലങ്ങ ളിൽ മരുന്നുകൾ മാറ്റി പുതിയവ വയ്ക്കേണ്ടതുമാണ്.
- 4. യുന്ത്രസാമന്രികൾ 1740 കുതിരശക്തിതിൽ കൂടുവാൻ പാടില്ല.
- 5. തൊഴിലാളികളെ സംബന്ധിച്ച പേരു വിവരം അടങ്ങുന്ന രജിസ്റ്റർ യൂണിറ്റിൽ യൂക്ഷിക്കേണ്ടയാ ണ്.
- തൊഴിലാളികൾക്ക് സുരക്ഷാ ഉപാധികളായ കട്ടിയുള്ള ഗ്ലാസ്, മാസ്ക്, ഗാംബുട്ട്, തൊഷി മുതലാ യവ നൽകുകയും ഇവ ജോലി സമയത്ത് ഉപയോഗിക്കുന്നുവെന്ന് ഉവദ്യ വരുത്തേണ്ടതുമാണ്.
- ളല്പന്നത്ങൾ വാഹനത്തിൽ കയറ്റുമ്പോൾ പൊടി ശല്യം ഉണ്ടാകാതിരിക്കുന്നതിന്, മെറ്റൽ, പാറ മണൽ, പാറപൊടി കൂനകൾക്കു മീതെ സ്പിറിംഗർ ഡ്യാപിച്ച് വെള്ളം തളിച്ചു കൊടുക്കേണ്ടതാ ണ്ട്.
- യൂണിറ്റിൽ നിന്നും വാഹനത്തിൽ വിതരണത്തിനായി പുറത്തേത്ക്ക് കൊണ്ടു പോകുമ്പോൾ പടുതയിട്ട് മൂടിക്കെട്ടി സുരക്ഷിതമാക്കേണ്ടതാണ്.

 തൂണിറ്റിലോ പരിയരത്തോ കൊതുക് ഈച്ച, എലി മറ്റ് കമുറ്ര ജീവികൾ എന്നിവയുടെ വംശ വർദ്ധനവിന് ഇടയാകുന്ന സാഹചര്യങ്ങൾ ഉണ്ടാകുവാൻ പാടില്ല.

 പൊഴിശല്യം ഒഴിവാക്കുന്നതിന് യൂണിറ്റിലേക്കുള്ള റോസ് ടാർ ചെയ്യുകയോ, കോൺക്ര്റ്റ് ചെയ്യുകയോ ചെയ്യേണ്ടതും ഇടയ്ക്കു റോഡ് നനച്ചു കൊടുക്കേണ്ടതുമാണ്.

തൊഴിലാളികൾക്കു വേണ്ടി യൂണിറ്റിൽ ശുരാജലം ലഭ്യമാക്കേണ്ടതാണ്.

നൂണിറ്റിൽ നിന്നുള്ള പാറപ്പെടി കലർന്ന മലിനജലം പൊതു ജല ഗ്രോതധുകളിലേക്കും.
 നോസിലേക്കും മറ്റും ഒഴുകാതെ സെഡിമെന്റേഷൻ ടാങ്കുകളിൽ ശേഖരിക്കേണ്ടതാണ്.

 (കഷർ യൂണിറ്റിന്റെ പ്രവർത്തന സഭയം രാവിലെ ഒമുതൽ വൈകിള് വേരെയായി നിജപ്പെടു തേത്വഴതാണ്.

 നുണിറ്റിന്റെ പരിസരത്ത് വേഗത്തിൽ വളരുന്നതും ഇലപൊഴിക്കാത്തതുമാന ഇനം മരങ്ങൾ നേട്ടു വളർത്തേണ്ടതാണ്

മേൽ ഉപാധികൾ പാലിക്കാത്തപക്ഷം നൽകപ്പെടുന്ന നിരാക്ഷേപ സാക്ഷ്യപത്രം മുന്നറിയിഷില്ലാതെ പിൽവലിക്കുന്നതാണ്.

> മോ. എൻ. എം. ഐഷാ ഭാന്നി, ജില്ലാ മെധിക്കൻ ഓഷീസർ (ആരോഗ്യം) കോട്ടയം.

സികർത്താവ്

വെഗ്രക്യൂറി, ഗ്രാമ പഞ്ചാന്തത്ത് രാമപുരം

addochai:

്. ശ്രീ.ഐലസ്റ്റ് കെ.ജോസ്, നയറക്ടർ, കൊച്ചിൻ ബ്ലൂ മെറ്റൽസ്, രാഭപുരം

2. ടെക്നിക്കൽ അസിസ്റ്റാറ്റ് ഗ്രേസ്-2(നോർത്ത് സോൺ)

 ബി.4 ഡെക്ഷൻ (ലൈസൻസ് ഫ്.100/-രൂപയും മുഖ്യമന്ത്രിയുടെ ദുരിയാശ്വാസ നിധിയിലേക്ക് Rs. 300/- എന്നിവ ഈടാക്കുന്നതിന്)

4. ഫ്ലയത്

//anwouldg foresteo//

अञ्चलीकारी कार्यानाहरू

0/62/2

Ar.27.02.2013

കോട്ടയം ജില്ലാ ഫെനിക്കൽ ആഷിസാത്രട നടപടിക്രമം.

വിഷയം : രാഭപുരം ഗ്രാളപഞ്ചായത്ത് - ഒളറ്റൽ ക്രഷർ യൂണിറ്റിലെ യഗ്രത്യാമഗ്രികളുട കുതിരശക്തി വർദ്ധിഷിക്കുന്നതിനും ധിദ്ധൽ ജനറേറ്റർ യൂളപിക്കുന്നതിനും നിരാക്ഷേപ സാക്ഷ്യപത്രം നൽകിയത് ടേദഗതി വരുത്തി ഉത്തേവോകുന്നു.

സുപ്പാ: 1. ഉത്തരവ് നാം.സി2- 447/13/ജി.ലെ.ആ. കോട്ടയാം തിയതി : 26/02/2013.

2. ടെക്നിക്കൽ അന്ധിസ്റ്റാറ്റ് ഗ്രേസ് 2 ഒറ്റ് 28.02.2013 ഒല അചേക്ഷ

ഉത്തരവ് നം.സി2- 447/13/ജി.ഹെ.ആ. കോട്ടനം തിനതി : 04/03/2013.

ഈ ആഷിയിൽ നിന്നും സൂചന 1 ആയി പുറപ്പെടുവിച്ചിട്ടുള്ള ഉത്തരവിൽ നൂണിറ്റിനോട സ്വച്ച്' ജനറേറ്റർ സ്ഥാപിക്കുന്നതിന്റെ ശേഷി 3130 കിലോ വാട്ട് എന്നാക്കി ദേശതി വരുത്തി ഉത കുന്നു.

> ඉස්' ගොට. എൻ. എം. බංගුණට පොග්! න්වූට නෞග්යනග් නොකීගත් (ලෙකෙගලං) සොටුගෙං.

സൂകർത്താവ്

സെക്രട്ടറി, ന്നാല പഞ്ചായത്ത് രാലപുരം

ධයාගීන්:

📭 (ശീ.പ്ലെമറ്റ് കെ.ജോസ്, യയറക്ടർ, കൊച്ചിൻ ബ്ലൂ മെറ്റത്സ്, രാളപുരം

- 2 ടെക്നിക്കൽ അധിസ്റ്ററ്റ് ഗ്രേഹ്-2(നോർത്ത് സോൺ)
- 3. aganad

//ഉത്തരവിൻ (ചരാതം//

श्रुकीकर्त कार्यां अस्ति । १९४३ -

Ar.04.03.2013

16/7/2013 KERDIN KOUMUDY

Elephon como

രണ്ടുസ്മെന്റ് അതോറിറ്റിയിൽ നിന്നും 677 SEIAA7 KL 179047 2012 തിരുത്ന് 23 05-2013 മാർഡർ പ്രകാരം ലഭിച്ചിരിക്കുന്നു. ഈ ഓർ നറിടൻ പകർച്ച് കേരള സംസ്ഥാന പരിന്ധറിതി കാലാവസ്ഥ

வுகர்களை வகத்தின் வதுக்கள். www.seiaakerala.org வின

ലെങ്ങസുദ്രീകൂടിയും പകർപ്പ് കാണാവുന്നതണ്.

uncount and was morning പ്രിസ്ഥിതി ഇംപാക്

Sessences AM AssO gisti

പംപ്യത് താലുക്ക്, മാമവർമ്മപുരേ വില്ലേജിലും പഞ്ചാന antimosas madea mand 1/3, 1/4, 1/5, 1/7, 3/2, 8/4, 9/1, 9/2, /ു. 9/7, 8/3 & 8/21 യി പാഠ ഖനനാ ചെന്നുന്നതിനുവേണ്ട പരിസവിതികാനുമതി കൊച്ചിൽ ബ്ലൂ കെറ്റർ (കൈവ.) ലി. എസ

പാതുജന ശ്രദ്ധയ്ക്കായി, കേള സംസ്ഥാനം, കോട്ടയംജില്ലു

ODESCOO

ാന്തർ ഒപ്പോഴിന്നിനോടും കട്ടപ്പ

Taluk, Kottayam District, kerala being developed by SEIAA/KL/7904/2012 dt, 23-05-2013 and copy of the 8/3, & 8/2-1 at Ramapuram Village & Panchayath, Meenachil M/s Cochin Blue Metal industries(Pvt.) Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environmental Impact Assessment Authority, Kerla vide Order No. 67/ Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of This is inform to the General Public that the proposed quarry projectin Survey Nos. 1/3, 1/4, 1/7, 8/2, 8/4, 9/1, 9/2, 9/3,9/7, Kerala and may also be seen on the website of the Authority at www.seiaakerala.org

Space Para! of the and v work! subm

629

ം പയർ കണിറ്റി ജില്ലാ ചെന്തർ ന യിലൈ ബൈർസ് ഓലൻ ഉ รือรื่องเอเลต อูโรยตอบสมเภอโซอ नाम नी हारी दाला का ता कई द्यार

WIG GO O O CHOS