



**COCHIN
BLUE METAL
INDUSTRIES (P) LTD.**

Choozhikkara, Methiri P.O.
Ramapuram, Kottayam - 686 576,
Phone: 04822 244311,
E-mail: cochinbluemetals@gmail.com
Web: www.bestgroupindia.co.in
CIN : U14200KL2008PTC022264

No. CBM2-IDK/CR/072/2018

Date: ~~25-06~~-2024

From

The Managing Director

To

The Regional Director

MoEF&CC Regional Office

Southern Zone, Kendriya Sadan, 4th Floor, E & F Wing

II Block, Koramanagala, Bengaluru - 560034.

Sir,

Sub: Environmental Clearance - Compliance report furnished

Ref: E.C. No. 35/2018 vide Proceedings No. 1069/EC4/2016/SEIAA dated
17.03.2018 of SEIAA Kerala

Kind attention is invited to the Environmental Clearance accorded to the quarry project of M/s Cochin Blue Metal Industries Private Limited in Purapuzha Village and Panchayath, Thodupuzha Taluk, Idukki District, Kerala vide reference cited above. The twelfth report of compliance on the specific and general conditions of the EC for the period from October 2023 to March 2024 is attached herewith for favour of kind perusal.



Yours faithfully

C.A. Mohammed Iqbal
Director

for M/s Cochin Blue Metal Industries Private Limited

Copy to :

The Member Secretary

SEIAA Kerala

K.S.R.T.C. Bus Terminal Complex, 4th Floor

Thampanur, Thiruvananthapuram - 695001.



BEST GROUP

Customer care number - 8086 388 388 / 8086 883 883

www.bestgroupindia.com



A PRODUCT OF BEST GRANITES



Quarry project of
M/s Cochin Blue Metal Industries Pvt. Ltd.

Purapuzha Village
Purapuzha Panchayath
Thodupuzha taluk
Idukki District
Kerala State

12th Compliance report

(Ref. No. 1069/EC4/2016/SEIAA dt. 17.03.2018 of SEIAA KERALA)

ENVIRONMENTAL CLEARANCE No. 35/2018

for the period from
October 2023 to March 2024

Quarry project of
M/s Cochin Blue Metal Industries Pvt. Ltd.

Purapuzha Village
Purapuzha Panchayath
Thodupuzha taluk
Idukki District
Kerala State

12th Compliance Report

*(Ref: No. 1069/EC4/2016/SEIAA dt. 17.03.2018 OF SEIAA KERALA)
ENVIRONMENTAL CLEARANCE No. 35/2018*

for the period from
October 2023 to March 2024

TABLE OF CONTENTS


Item No.	Description	Page No.
	Monitoring Report – Proforma - Part I	7
I.	About the proponent	9
	About the project	
	Project category	9
II.	Project location	9
	Project extent and activity	10
	Project description	10
	Report of Compliance	
III.	Compliance of Specific Conditions	11
	Compliance of General Conditions	11-30
	Plates	
	Plate G.1 – Rain water storage area	33
IV.	Plate G.3 – Avenue trees	35
	Plate G.4 – Solar street lamp	37
	Plate G.5 – Sprinkler	39
	Plate G.38 – EC display board	41
	Annexure	
	Annexure G.8 – Details of the amount spent towards CSR for the period from October 2023 to March 2024	A1-A2
	Annexure G.30 – Copy of Consent to Operate / Authorisation / Registration issued by Kerala State Pollution Control Board for the quarry	A3-A12
	Annexure G.31(1) – Copy of license issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine	A13-A19
V.	Annexure G.31(2) – Copy of D & O license issued by Purappuzha Grama Panchayath for the quarry	A20-A23
	Annexure G.37 – Copy of air, water and noise quality monitoring reports	A24-A26
	Annexure G.56 – Copy of interim order dt. 04.04.23 in WP(C) No. 12082/23 filed by M/s Cochin Blue Metal Industries against the Geologist, District Office- Idukki and others	A27-A31

MONITORING REPORT – PROFORMA – PART I

E.C. No. 35/2018 vide Proceedings No. 1069/EC4/2016/SEIAA dated 17.03.2018 issued by SEIAA Kerala / MoEF & CC

1.	Name of the project	Quarry project of M/s Cochin Blue Metal Industries Pvt. Ltd.
2.	Clearance letter no. & date	Environmental Clearance No. 35/2018 vide Proceedings No. 1069/EC4/2016/SEIAA dated 17.03.2018 issued by SEIAA Kerala
3.	Location: District & State/UT	Idukki District, Kerala State
4.	Address for correspondence:	Mr. C.A. Mohammed Iqbal Director M/s Cochin Blue Metal Industries Pvt. Ltd. Choozhikkara, Mathiri P.O Ramapuram, Kottayam -686576.
5.	Contact No. of office with name of responsible official	8086966966 Asheeb A.A. (Manager)
6.	Mobile No. of concerned officials associated with monitoring	8086966966
7.	Date of commencement (Actual and/or planned)	17.03.2018
8.	Validity of CFO (Consent for Operation obtained from Kerala State PCB)	17.03.2024
9.	Present status of the project	Stopped
10.	Email id of the contact person to whom communications to be sent	cochinbluemetals@gmail.com
11.	FAX Number	

Date: 05.06.2024



Signature of authorized signatory

Name : ASHEEB A.A
Designation: MANAGER

I. ABOUT THE PROPONENT

M/s Cochin Blue Metal Industries Private Limited possesses a quarry project in Purapuzha Village and Panchayath, Thodupuzha Taluk, Idukki District, Kerala state.

State Environment Impact Assessment Authority Kerala (SEIAA Kerala) accorded Environmental Clearance No. 35/2018 vide proceedings No. 1069/EC4/2016/SEIAA dt. 17.03.2018 to M/s Cochin Blue Metal Industries Private Limited for an area of 1.3898 hectares in Purapuzha Village and Panchayath, Thodupuzha Taluk, Idukki District, Kerala.

M/s Cochin Blue Metal Industries Private Limited is controlled and managed by Mr. C.A. Mohammed Iqbal, Director, Choozhikkara, Mathiri P.O., Ramapuram, Kottayam, Kerala - 686576. Email: cochinbluemetals@gmail.com.

Among the conditions specified in the said Environmental Clearance (EC), it is mandatory to file six-monthly compliance report(s). This report is in compliance of it and the twelfth report in its series.

Mining and allied activities are temporarily stopped in the project site.

II. ABOUT THE PROJECT

a. Project category:

The project comes under the Category B, Activity 1(a), (i) of Schedule of EIA Notification 2006 and subsequent amendments.

b. Project location:

Sy. Nos. 172/1 Pt., 177/1 Pt., 177/2 Pt., 178/1 Pt., 178/2 Pt. and 179/1 Pt. of Purapuzha Village and Panchayath, Thodupuzha Taluk, Idukki District, Kerala. The proposed project site falls within 9°50'36.35"N to 9°50'45.05"N and 76°38'03.99"E to 76°38'12.72"E.

c. **Project extent and activity:**

The project is for quarrying of 60,000 MTA of building stone from an area of 1.3898 hectares of land located as specified above.

d. **Project description:**

The land for the quarry project is private own land and the land is possessed in the name of M/s Cochin Blue Metal Industries Private Limited. The mining operation will be carried out by open cast semi-mechanized method as per the approved Mining Plan. The expected life of mine is 5 years.

III. REPORT OF COMPLIANCE

A. SPECIFIC CONDITIONS

Item No.	Stipulations in EC	Status of Compliance	Remarks
S1	If any rare, endemic and threatened plant species are noticed, they shall be properly protected in situ or transplanted to a suitable site inside the lease area.	Effective steps shall be taken either for in situ conservation or for transplantation of any rare, endemic and threatened plant species, if any, noticed within the lease area.	

B. GENERAL CONDITIONS

Item No.	Stipulations in EC	Status of Compliance	Remarks
G1	Rain water harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified.	Provision is made for storage of rain water.	Plate G.1 – Rainwater storage area (Page 33)

G2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Environment Monitoring Cell (EMC) formed is functional.	
G3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.	Coconut trees are grown as avenue trees.	Plate G.3 – Avenue trees (Page 35)
G4	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Solar street lamp is installed within the project site.	Plate G.4 – Solar street lamp (Page 37)
G5	Sprinklers shall be installed and used in the project site to contain dust emissions.	Mining and allied activities are temporarily stopped in the project site. Sprinklers are installed and shall be used in the project site, on restoration of mining activities, to contain dust emissions.	Plate G.5 – Sprinkler (Page 39)
G6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	It shall be ensured that the directions contained are scrupulously followed.	
G7	At least 10 percent of the total excavated pit area should be	It shall be ensured that the directions contained are scrupulously followed at the time of mine closure.	

	retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the EC.		
G8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.	An amount of Rs. 15,11,405/- (Rs. 7,30,120/- as recurring expense and Rs. 7,81,285/- as non-recurring expense) has been spent towards CSR for various activities for the period from October 2023 to March 2024, the details of which are attached as Annexure G.8 .	Annexure G.8 – Details of the amount spent towards CSR for the period from October 2023 to March 2024 (Pages A1-A2)
G9	The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	Fencing has been done around the project area.	
G10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	The condition shall be followed scrupulously.	

G11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G12	Quarrying activities should be limited to day time as per KSPCB guidelines/ specific conditions.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G13	Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G14	A licensed person should supervise/ control the blasting operations.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Access roads to the project site are tarred.	
G16	Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/ specific conditions.	The condition shall be scrupulously followed.	

G17	Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention in the mining plan/ specific condition.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G19	Maximum depth of mining from general ground level at site shall not exceed 10m.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G20	No mining operations should be carried out at places having a slope greater than 45°.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	

G22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	The direction contained shall be scrupulously followed.	
G24	The transportation of minerals should be done in covered trucks to contain dust emissions.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G25	The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project.	The direction contained shall be scrupulously followed.	
G26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G27	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	

G28	A minimum buffer distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	Mining and allied activities are temporarily stopped in the project site. Statutory safe distance shall be maintained without fail on restoration of activities in the project site.	
G29	100 m buffer distance should be maintained from forest boundaries.	Mining and allied activities are temporarily stopped in the project site. Statutory safe distance shall be maintained without fail on restoration of activities in the project site.	
G30	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating activity.	Consent to Operate/Authorisation/Registration issued under Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986 (Consent No. R18IDU-CTO-664374 dt. 29.05.18 valid up to 16.03.2023 and Consent No. R18IDU-CTO-R1-664374 dt. 07.03.2023 valid up to 17.03.2024), is obtained from Kerala State Pollution Control Board for the quarry. [Annexure G.30]	Annexure G.30 – Copy of Consent to Operate / Authorisation / Registration issued by Kerala State Pollution Control Board for the quarry (Pages A3-A12)
G31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Clearances are obtained from: 1. Petroleum and Explosives Safety Organization (former Explosives Department) [Annexure G.31(1)] for use of explosives from magazine 2. Purappuzha Grama Panchayath [Annexure G.31(2)] .	Annexure G.31(1) – Copy of license (No. E/ SC/ KL/ 22/ 1020 (E50659) dt. 14.02.2022 valid up to 31.03.2027) issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine (Pages A13 to A19)

			Annexure G.31(2) – Copy of D & O license (No. G5-10/19-20 dt. 22.03.2019 valid up to 16.03.2023 and No. G5 1045/2023 dt. 16.03.23 valid up to 17.04.24) issued by Purappuzha Grama Panchayath for the quarry (Pages A20 to A23)
G32	In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C. is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	
G33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary,	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	

	and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.		
G34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Strict compliance of the conditions is adhered to.	
G35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper)	<ul style="list-style-type: none"> • Advertisements regarding the obtaining of Environmental Clearance were given in two newspapers: <ol style="list-style-type: none"> 1. Mangalam (Malayalam daily) dt. 01.04.2018 and 2. The Hindu (English daily) dt. 11.04.2018 	

	<p>shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.</p>	<ul style="list-style-type: none"> The copies of newspaper advertisements were forwarded to the Directorate of Environment and Climate Change. 	
G36	<p>A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat / District Panchayat / Municipality / Corporation / Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the</p>	<p>Complied.</p>	

	proposal. The Environmental clearance shall also be put on the website of the company by the proponent.		
G37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office.	<ul style="list-style-type: none"> • Conditions are being complied with. This twelfth report is in compliance with the submission of six-monthly compliance reports and is for the period from October 2023 to March 2024. • Copy of air, water and noise quality monitoring reports is attached as Annexure G.37. 	Annexure G.37 – Copy of air, water and noise quality monitoring reports (Pages A24-A26)
G38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign	Metallic display board in which details of EC obtained are written, is erected at the entrance of the quarry.	Plate G.38 – EC display board (Page 41)

	board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.		
G39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Affidavit was submitted to SEIAA.	
G40	No change in mining technology and scope of working should be made without prior approval of the SEIAA, no further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	

G41	The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease area shall be taken.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points and transfer points to reduce fugitive emissions.	<ul style="list-style-type: none"> • Copy of air, water and noise quality monitoring reports is attached as Annexure G.37. • Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area. 	Annexure G.37 – Copy of air, water and noise quality monitoring reports (Pages A24-A26)
G43	The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB)	The overburden and top soil are stacked in pre-determined places earmarked for the purpose within the project site.	

	<p>generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.</p>		
G44	<p>Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so</p>	<p>Direction contained shall be scrupulously followed.</p>	

	collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.		
G45	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM ₁₀ and PM _{2.5} such as haul road, loading and unloading points and transfer points. It shall be ensured that the Ambient air quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	<ul style="list-style-type: none"> • Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area. • The Ambient Air Quality parameters are well within the prescribed standard limits. Copy of air, water and noise quality monitoring reports is attached as Annexure G.37. 	Annexure G.37 – Copy of air, water and noise quality monitoring reports (Pages A24-A26)
G46	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	

G47	Measures should be taken for control of noise levels below 85 dBA in the work environment.	Effective measures are being taken to maintain the ambient sound level well within the prescribed limits. The noise quality monitoring report is attached in Annexure G.37.	Annexure G.37 – Copy of air, water and noise quality monitoring reports (Pages A24-A26)
G48	A separate environmental management cell with suitable qualified personnel should be set up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Environment Monitoring Cell (EMC) formed is functional.	
G49	The funds earmarked for environmental protection measures and CSR activities should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	An amount of Rs. 15,11,405/- (Rs. 7,30,120/- as recurring expense and Rs. 7,81,285/- as non-recurring expense) has been spent towards CSR for various activities for the period from October 2023 to March 2024, the details of which are attached as Annexure G.8.	Annexure G.8 – Details of the amount spent towards CSR for the period from October 2023 to March 2024 (Pages A1-A2)
G50	The Regional Office of MoEF&CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to	Full co-operation shall be extended to the officer(s) of the Regional office by furnishing the requisite data/ information/ monitoring reports, as and when it is sought.	

	the officer(s) of the Regional office by furnishing the requisite data/information/ monitoring reports.		
G51	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	No appeal sought for the present project.	
G52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Shall abide by the stipulations of SEIAA in such a context, if arises.	
G53	The SEIAA may revoke or suspend the order, for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to	Shall abide by the stipulations of SEIAA in such a context, if arises.	

	alter/modify the above conditions or stipulate any further condition in the interest of environment protection.		
G54	The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority of the same project.	It is assured that we shall oblige with the directions issued by SEIAA from time to time.	
G55	This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.	Shall abide by the condition and renewal application shall be submitted well before the expiry of validity period specified herein.	
G56	The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.	WP(C) No. 12082/23 filed by M/s Cochin Blue Metal Industries against the Geologist, District Office- Idukki and others is pending before the Honourable High Court of Kerala. In the interim order dt. 04.04.23 in the said writ petition [Annexure G.56] , the Honourable Court has directed the first respondent, the Geologist, District Office- Idukki, to issue transit pass to the petitioner extending the benefit of notification under S.O. No. 1807€ dt. 12.04.22 of the Ministry of Environment, Forest and Climate Change, pending disposal of the writ petition and	<u>Annexure G.56</u> – Copy of interim order dt. 04.04.23 in WP(C) No. 12082/23 filed by M/s Cochin Blue Metal Industries against the Geologist, District Office- Idukki and others (Pages A27-A31)

		subject to the availability of project life and mineable mineral reserves and on the condition that the petitioner holds all other statutory permits / licenses / consent and on a further condition that the mining plan of the petitioner is current and valid.	
G57	The mining operation shall be restricted to above ground water table and it should not intersect ground water table.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G58	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G59	Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
G60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to SEIAA.	The water quality monitoring report is attached in Annexure G.37.	<u>Annexure G.37</u> – Copy of air, water and noise quality monitoring reports (Pages A24-A26)

G61	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Mining and allied activities are temporarily stopped in the project site. The condition shall be scrupulously followed on restoration of mining and allied activities in the project area.	
-----	--	--	--

IV. PLATES




Plate G.1

Rain water storage area

Plate G.3

Avenue trees





Plate G.4

Solar street lamp



Plate G.5 **Sprinkler**

Plate G.38
EC display board



V. ANNEXURE

COCHIN BLUE METAL INDUSTRIES PVT LTD

CHOOZHICKARA METHIRI PO KOTTAYAM 686576

Ledger of CSR RECURRING EXPENSE-IDUKKI From 01/10/2023 To 31/03/2024

Date	Reference	Particulars	Debit	Credit	Balance
03/10/2023	BP-672	NEFT TO VELIYANNOOR BUDS SCHOOL-POOVAKKULAM AS A CSR Cheque No.#130328 dated 03/10/2023	5000.00		5000.00 Dr
03/10/2023	JV-495	FUND TRANSFER TO NIRDHANA KUDMBA SAHAYA PADHATHI SCHEME HOLDERS IDUKKI (DT)-SEP-2023	9000.00		14000.00 Dr
06/10/2023	CP-12063	MEDICAL HELP PAID TO AJI,KARITHOTT VEETIL,AVOLI (PO),MUVATTUPUZHA,ERNAKULAM	1000.00		15000.00 Dr
20/10/2023	CP-12939	MEDICAL HELP PAID TO DHANYA,PUTHENPURAYIL HOUSE, PURAPPUZHA FOR PANCREAS DECEASE	10000.00		25000.00 Dr
02/11/2023	BP-777	NEFT TO VELIYANNOOR BUDS SCHOOL-POOVAKKULAM AS A CSR Cheque No.#130382 dated 02/11/2023	5000.00		30000.00 Dr
02/11/2023	JV-701	FUND TRANSFER TO NIRDHANA KUDMBA SAHAYA PADHATHI SCHEME HOLDERS IDUKKI (DT)-OCT-2023	9000.00		39000.00 Dr
23/11/2023	CP-14913	MEDICAL HELP PAID TO SAJESH CHAZHIKKARA (H) CHENAPARAMBU	5000.00		44000.00 Dr
25/11/2023	CP-14981	MEDICAL HELP PAID TO ABDULLA KUTTY P.K ,PANTHROLI HOUSE,OKKAL	1000.00		45000.00 Dr
30/11/2023	JV-704	FUND TRANSFER TO NIRDHANA KUDMBA SAHAYA PADHATHI SCHEME HOLDERS IDUKKI (DT)-NOV-23	9000.00		54000.00 Dr
30/11/2023	JV-705	FUND TRANSFER TO ASHRAYA CHARITABLE TRUST-KKLM AS A CSR DONATION FOR THE MONTH OF NOV-23	4000.00		58000.00 Dr
01/12/2023	BP-876	NEFT TO VELIYANNOOR BUDS SCHOOL POOVAKKULAM AS A CSR Cheque No.#130389 dated 01/12/2023	5000.00		63000.00 Dr
06/12/2023	CP-15576	MEDICAL HELP PAID TO AUGUSTIN THOMAS (EX.MEMBER) PURAPUZHA	10000.00		73000.00 Dr
14/12/2023	JV-715	144 CFT R-SAND DONATED TO JESSY POOVATHANAM AGAINST BILL NO;BU/3438 (FOR HER HOUSE CONSTRUCTION WORK)	8620.00		81620.00 Dr
02/01/2024	CP-17049	MEDICAL HELP PAID TO ANISH DIVAKARAN,PAINAMUTTIL HOUSE MADATHIKANDAM FOR DIALYSIS	1000.00		82620.00 Dr
02/01/2024	BP-992	NEFT TO VELIYANNOOR BUDS SCHOOL-POOVAKKULAM AS A CSR FOR THE MONTH OF DEC-2024 Cheque No.#130393 dated 02/01/2024	5000.00		87620.00 Dr
02/01/2024	JV-766	FUND TRANSFER TO NIRDHANA KUDMBA SAHAYA PADHATHI SCHEME HOLDERS IDUKKI (DT)-DEC-2024	8000.00		95620.00 Dr
22/01/2024	BP-1101	CHEQUE PAID TO SAFE VALLEY SHAIKH AHMADUL KABEER RIFAEI FOUNDATION FOR EDUCATION AND CHARITY Cheque No.#1392163 dated 22/01/2024	300000.00		395620.00 Dr
02/02/2024	BP-1094	NEFT TO VELIYANNOOR BUDS SCHOOL-POOVAKKULAM AS A CSR FOR THE MONTH OF JAN-24 Cheque No.#130627 dated 02/02/2024	5000.00		400620.00 Dr
02/02/2024	JV-986	FUND TRANSFER TO NIRDHANA KUDMBA SAHAYA PADHATHI SCHEME HOLDERS IDUKKI (DT)-JAN-2024	8000.00		408620.00 Dr
29/02/2024	BP-1220	NEFT TO AL MADRASATHUL ITIHADIYA SANGAM-KODUNGALLUR-THRISSUR FOR BUILDING CONSTRUCTION Cheque No.#1392175 dated 29/02/2024	300000.00		708620.00 Dr
02/03/2024	BP-1194	NEFT TO VELIYANNOOR BUDS SCHOOL-POOVAKKULAM AS A CSR FOR THE MONTH OF FEB-24 Cheque No.#130633 dated 02/03/2024	5000.00		713620.00 Dr
02/03/2024	JV-989	FUND TRANSFER TO NIRDHANA KUDMBA SAHAYA PADHATHI SCHEME HOLDERS IDUKKI (DT)-FEB-24	8000.00		721620.00 Dr
05/03/2024	CP-20850	MEDICAL HELP PAID TO RAJANI,KANIYAM PARAMBIL THOSUPUZHA FOR KIDNEY COMPLAINT	500.00		722120.00 Dr
30/03/2024	JV-1136	FUND TRANSFER TO NIRDHANA KUDMBA SAHAYA PADHATHI SCHEME HOLDERS IDUKKI (DT)-MARCH-24	8000.00		730120.00 Dr
Total			730120.00		
Closing Balance				1178250 Dr	

COCHIN BLUE METAL INDUSTRIES PVT LTD

CHOOZHICKARA METHIRI PO KOTTAYAM 686576

Ledger of CSR NON-RECURRING EXPENSE-IDUKKI From 01/10/2023 To 31/03/2024

Date	Reference	Particulars	Debit	Credit	Balance
30/12/2023	BP-1000	RTGS TO MERCY COPS CHARITABLE TRUST-THE SPONSORSHIP AMOUNT FOR THE CONSTRUCTION OF HOUSES UNDER MERCY COPS HOUSE CONSTRUCTION PROJECTS Cheque No.#627 dated 30/12/2023	700000.00		700000.00 Dr
12/02/2024	CP-19485	CASH PAID TO RAMAPURAM HEALTH CENTRE FOR PALIATIVE PATIANT RELATIVE SANGAMAM	10000.00		710000.00 Dr
21/02/2024	CP-20034	CHENAPARAMB TO CHOOZHICKARA ROAD RETARRING LABOUR CHARGE PAID	10000.00		720000.00 Dr
21/02/2024	JV-932	PURCHASE OF 2 BARREL TAR(9000*2NOS) FOR CHOOZHICKARA-CHENAPARAMBA ROAD RETARRING WORK	18000.00		738000.00 Dr
21/02/2024	JV-997	PURCHASE OF MATIERIALS FOR CHOOZHICKARA-CHENAPARAMBA ROAD RETARRING WORK	33285.00		771285.00 Dr
22/02/2024	CP-20125	CHENAPARAMB TO CHOOZHICKARA ROAD RETARRING LABOUR CHARGE PAID	10000.00		781285.00 Dr
Total			781285.00		
Closing Balance				792285 Dr	

FILE NO : PCB/IDK/OA-285/2018

Date of issue : 29/05/2018



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO

OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974

The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

As per Application No. :7872335

Dated:23-05-2018

TO

M/s COCHIN BLUE METALS PVT.LTD (QUARRY UNIT),

KUNINJI P O

PURAPPUZHA

Consent No. :R18IDU-CTO-664374

Valid Upto :16/03/2023

1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	VALIDITY	16/03/2023
2	Name and Address of the establishment	COCHIN BLUE METALS PVT.LTD (QUARRY UNIT), COCHIN BLUE METALS INDUSTRIES PVT.LTD,METHIRI P.O,KOTTAYAM. 685583
3	Communication	Telephone :0-8086966966 Fax :0-8086966966 E-mail:cochinbluemetals@gmail.com
4	Occupier Details	C.A.Mohammed Iqbal, Chirakuzhi House, Nattika Beach P.O, Thrissur.
5	Local Body	Purapuzha
6	Survey Number	172/1pt, 177/1pt, 177/2pt, 178/1pt, 178/2 pt, 179/1pt
7	Village	Purapuzha
8	Taluk	THODUPUZZHA
9	District	IDUKKI
10	Capital Investment(Rs in Lakhs)	Rs. 150 Lakh
11	Scale	Small
12	Category	RED
13	Annual fee(Rs)	Rs. 25000/-
	Total Fee remitted(Rs)	Rs. 178750/-
14	RAW MATERIAL	PRODUCTS
	Granite Aggregates @200 Metric Tonnes	Granite Rubbles @200 Metric Tonnes
15	Total Power Required (HP)	

2. CONDITIONS AS PER

The Water(Prevention and Control of Pollution)Act, 1974

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water consumption: 500 LPD
- 2.3 Effluent generation:
- 2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

SI.NO.	Characteristics	Unit	Tolerance Limit	
			Sewage	Trade Effluent

2.5 Mode of disposal of treated effluent:

3. CONDITIONS AS PER

The Air(Prevention and Control of Pollution)Act, 1981

3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Sources of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Group Level	Roof Level	

3.2 Emission characteristics shall not exceed the following:

SI.No.	Parameter	Limiting Standards (mg/Nm3)

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.

4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001

4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

4.3.1 Activities for which Authorisation is granted

Collection		transport	
Reception		Storage	
Treatment		Reprocessing/Disposal	

4.3.2 Type, quantity and mode of storage/collection/disposal of hazardous wastes shall be as follows:

SI.No.	Hazardous Waste	Schedule Category	Quantity Tonne/year
Mode of			
Storage		Disposal	

4.4 E-waste shall be disposed off safely as per the E-Waste (Management)Rules, 2016.

5. SPECIFIC CONDITIONS

- 5.1. For renewal of the consent in case of continuance of operation of the quarry, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management & Monitoring System 2 months prior to the date of expiry. Late application will be accepted only with fine.
- 5.2. The consent issued from the board is only with respect to the powers vested under the water Act 1974 Air Act 1981 and The Rules there under. The operation of the quarry shall be commenced only after obtaining clearances from all concerned Authorities.
- 5.3. There shall not be any quarrying activity between 6 pm to 6 am
- 5.4. Mining activities shall be done only in the area marked by Mining & Geology.
- 5.5. The PM10 in ambient air at the boundary shall not exceed 100 microgram/m³
- 5.6. The PM 2.5 in ambient air at the boundary shall not exceed 60 microgram/m³
- 5.7. The sound level (Leq) at 1 m outside the boundary of the site should not exceed the ambient noise Standard applicable to the adjoining areas.
- 5.8. Conditions given in the Environmental clearance shall be strictly complied with.
- 5.9. Mining shall be only done as per the mining plan attached with EC
- 5.10. Annual environmental statement shall be submitted on or before 31 st March every year.

DATE :29/05/2018

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER, D O-IDUKKI



To

SRI. C.A.MOHAMMED IQBAL,
CHIRAKUZHI HOUSE,
NATTIKA BEACH P.O,
THRISSUR.

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/IDK/OA-285/2018

Date of issue :2018-05-29

CONSENT VARIATION ORDER

Consent No : R18IDU-CTO-664374

Ref : R18IDU-CTO-664374 DATED 29.05.2018

The ' Integrated Consent to Operate' issued as per reference above to M/s COCHIN BLUE METALS PVT.LTD (QUARRY UNIT), KUNINJI P O, PURAPPUZHA - 685583 is hereby modified & issued to M/s COCHIN BLUE METALS PVT.LTD (QUARRY UNIT), KUNINJI P O, PURAPPUZHA - 685583. The consent(s)/ variation order(s) cited under reference are integral part of this consent variation order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	POWER CONSUMPTION	100 H P

II. CONDITIONS

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :29/05/2018

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER, D O-IDUKKI



To

SRI. C.A.MOHAMMED IQBAL,
CHIRAKUZHI HOUSE,
NATTIKA BEACH P.O,
THRISSUR.

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link, in the home page of the Board's Online Consent Management and Monitoring System.



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/IDK/OA-285/2018

Date of issue :07/03/2023

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : R18IDU-CTO- R1-664374

Ref : Consent No. :R18IDU-CTO-664374 Valid Upto :16/03/2023

The 'Integrated Consent to Operate' issued as per reference above to M/s COCHIN BLUE METALS PVT.LTD (QUARRY UNIT),COCHIN BLUE METALS INDUSTRIES PVT.LTD,METHIRI P.O,K OTTAYAM. 685583 is hereby renewed up to 17/03/2024 and issued to M/s COCHIN BLUE METALS PVT.LTD (QUARRY UNIT),COCHIN BLUE METALS INDUSTRIES PVT.LTD,METHIRI P.O,K OTTAYAM. 685583 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	FEE REMITTED	Rs.27500/-
2	CATEGORY	RED
3	ANNUAL FEE	Rs.25000/-
4	CAPITAL INVESTMENT	150 LAKHS
5	VALIDITY	17-03-2024

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

3.1 For renewal of the consent in case of continuance of discharge/operation of the unit, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management& Monitoring System 2 months prior to the date of expiry.

3.2 This consent is granted on the basis of the affidavit and other documents furnished by the applicant. If the statement furnished in the affidavit/document is found false or in the case of non-compliance of integrated consent to operate conditions the consent issued will be withdrawn/cancelled.

3.3 Annual environmental statement shall be submitted on or before 31 st March every year

3.4 This consent is issued based on the Judgement dated 25/10/2021 of the Hon'ble Supreme Court in CA No:6273/2021 and connected matters, Order dated 14/12/2021 of Hon'ble Supreme Court in MA.No:1904/2021, Judgement dated 10/11/2021 of Hon'ble High Court of Kerala in WP© 2773/2021 and Judgement dated 10/12/2021 of Hon'ble High Court of Kerala in WP© 27178/2021.

3.5 This consent is issued subject to any order that may be passed by the Hon'ble Supreme Court or the Hon'ble NGT in the connected matters.

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

EBY VARGHESE

Digitally signed by EBY

VARGHESE

Date: 2023.03.07 17:47:22

+05'30'

DATE :07/03/2023

SIGNATURE & SEAL OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER DO IDUKKI



To

C.A.Mohammed Iqbal,

Chirakuzhi House,

Nattika Beach P.O,

Thrissur.

Pin:686576

Cochin Blue Metals Pvt.Ltd (Quarry Unit),

Cochin Blue Metals Industries Pvt.Ltd,Methiri P.O,Kottayam.

Pin:685583

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
केन्द्रीय भवन, ब्लॉक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ पी.ओ. कक्कनाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037
फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276
ई-मेल Email: dycceernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/22/1020(E50659)

दिनांक (Date): 14/02/2022

सेवा में | To,

Sri Clement K JOSE Director M/s.Cochin Blue Metal Industries Pvt.Ltd.,
Choozhikkara, Methiri Post, Ramapuram, Mathiri Post, Kottayam, Town/Village - Ramapuram
District-KOTTAYAM, State-Kerala, Pincode - 686576

विषय: Survey No.1/2 of Block 26, ग्राम Ramapuram, Meenachil taluk, जिला KOTTAYAM, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति से E/SC/KL/22/1020(E50659) के नवीनीकरण संदर्भ में।

Subject: Possession for Use of Explosives from magazine situated at Survey No.:1/2 of Block 26, Ramapuram, Meenachil taluk, Dist. KOTTAYAM, Kerala -Licence No.: E/SC/KL/22/1020(E50659) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 14/02/2022 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2027 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।

Reference to your letter No.: Nil dated: 14/02/2022, the subject licence duly renewed upto 31/3/2027 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

Conditions:

1)USE OF EXPLOSIVES IN QUARRY SHALL BE STARTED ONLY AFTER GRANT OF QUARRYING LEASE FROM THE DIRECTOR OF MINES & GEOLOGY. PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF THE DGMS, BANGALORE AS REQUIRED UNDER THE MINES ACT 1952 AND METTALIFEROUS MINES REGULATIONS 1961

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/ 2027 से पहले इस कार्यालय को भेजे जाएं।

For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2027.

- प्ररूप आरई-1 में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है।
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाए। विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house)
- सभी ब्लास्टिंग ऑपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग ऑपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो।
All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

भवदीय | Your's faithfully

(पी.के.राणा | Dr. P. K. Rana)

विस्फोटक नियंत्रक | Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives

कोच्ची | Ernakulam

कृते उप मुख्य विस्फोटक नियंत्रक

For Deputy Chief Controller of Explosives

एरनाकुलम

कृते उप मुख्य विस्फोटक नियंत्रक | For The Dy. Chief Controller of Explosives,
कोच्ची | Ernakulam

प्रतिलिपि प्रेषित | Copy Forwarded to:

- ज़िला मजिस्ट्रेट (District Magistrate), KOTTAYAM (Kerala)- सूचना के लिए (for information)

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें।)(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

अनुज्ञापति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)


(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञापति

Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञापति सं. (Licence No.): E/SC/KL/22/1020(E50659)

वार्षिक फीस रूप (Annual Fee Rs): 2400/-



1. Licence is hereby granted to

Sri Clement K JOSE Director M/s. Cochin Blue Metal Industries Pvt.Ltd. (आधेभागी / Occupier : Clement K Jose), Choozhikkara, Methiri Post, Ramapuram, Mathiri Post, Kottayam, Town/Village Ramapuram, District-KOTTAYAM, State-Kerala, Pincode - 686576

को अनुज्ञापति अनुदत्त की जाती है।

2. अनुज्ञापतिधारी की प्रास्थिति | Status of licensee : **Company**

3. अनुज्ञापति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।

Licence is valid only for the following purpose.

possess for use of **Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators**, - के उपयोग के लिए

4. अनुज्ञापति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	75 Kg.
2.	Safety Fuse	6,1	0	1500 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	1000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञापति के लिए]

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3 (b) and (c)] : **10 times as above.**

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञापति परिसर की पुष्टि होती है।

रेखाचित्र क्र. (Drawing No.) **E/SC/KL/22/1020 (E50659)**

The licensed premises shall conform to the following drawing (s):

दिनांक (Dated) **02/12/2009**

6. अनुज्ञापति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 1/2 of Block 26, ग्राम (Town/Village) : Ramapuram, Meenachil Taluk (Police Station) : Kottayam

जिला (District) KOTTAYAM राज्य (State) Kerala पिनकोड (Pincode) 680005

दूरभाष (Phone) 9447002526 ई. मेल (E-Mail) फैक्स (Fax)

7. अनुज्ञापति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

The licensed premises consist of following facilities.

a set of portable magazines of D and E type

(Manufactured by m/s. Thekkans Engg and Fab. works)

8. अनुज्ञापति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)

Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञापति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञापति की शर्तें और अतिरिक्त शर्तें।

Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञापति तारीख **31 मार्च 2014** तक विधिमान्य रहेगी। This licence shall remain valid till **31st day of March 2014**.

यह अनुज्ञापति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञापति की शर्तों का अधिकमण करने या यदि अनुज्ञापति परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the

A14

conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

Sd/-

तारीख | The Date - 02/12/2009

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of
Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 30/12/2011
- Amendment in Drawings/Facilities/Premises dated : 31/10/2012
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 16/03/2016
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 27/06/2018
- Change in Postal Address dated : 27/06/2018

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
14/02/2022	31/03/2027	Dy. Chief Controller of Explosives, Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/1020(E50659) की शर्तें निम्नलिखित हैं।

The following are the conditions of licence number E/SC/KL/22/1020(E50659) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके: परंतु -
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।
Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लायसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचें, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचें, शेल्फें और फिटिंग यथासाध्य ग्रीट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे: परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाधेकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।
The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;
Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
- यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञप्तिधारी द्वारा पश्चात्तर्ती प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता:
परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगा:
परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है।
If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is

passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

10. उपयुक्त तथा जेब रहित कार्यकरण वस्तुओं, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :
परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है।
Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:
Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.
11. अनुज्ञापिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टाक पुस्तक और अभिलेख प्रस्तुत करेगा। स्टाक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी।
The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञापिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करे।
No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी)। यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञापिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा।
Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
मैगजीन का अनुज्ञापिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा।
The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी।
Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी।
The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशेषियों को पढ़ने के लिए उनके बीच से होकर आ जा सके।
The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा।
The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी।
A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकेजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
21. अनुज्ञापिधारी और कर्मचारियों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञात परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यकतः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञापिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञापिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञापिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञात फैक्ट्री या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा।

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –

(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;

(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के. प्रतिबंधित होंगे;

The possession and sale of fire-crackers generating noise level exceeding;

a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;

b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together.


26. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।

तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन

Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञप्तीधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा। The licensee shall not exhibit, possess and sell fireworks of foreign origin.


कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

कृते उप मुख्य विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1020(E50659) in form LE-3 granted to Sri Clement K JOSE Director M/s.Cochin Blue Metal Industries Pvt.Ltd., Choozhikkara, Methiri Post, Ramapuram, Mathiri Post, Kottayam, Kerala-680005 .

Type of Structure(s)		Safety distances meters	
Inside Safety Distances(ISD)		M	UM
1	Room or Workshop used in Connection with the Magazine	11	17
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
Middle Safety Distances(MSD)			
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		33
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmillor or Solar panel for Power Generation		
Outside Safety Distances(OSD)			
13	Dwelling House		
14	Govt. and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		
19	Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		45
20	Aerodrome		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
Overhead Electric lines			
27	Electric Power over head Transmission Lines above 440V		45
28	Electric Power over head Transmission Lines upto 440V		15

The Date : 02/12/2009

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 30/12/2011
- Amendment in Drawings/Facilities/Premises dated : 31/10/2012
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 16/03/2016
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 27/06/2018
- Change in Postal Address dated : 27/06/2018

For Joint Chief Controller of Explosives
South Circle, Chennai

कृते उप मुख्य विस्फोटक नियन्त्रक
For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.



ലൈസൻസ് നമ്പർ GS-10/19-20

തീയതി 22/08/19


26229 ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും

1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ

വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു നൽകുന്ന

ഡി & ഒ ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	C.A. മുഹമ്മദ് ഇക് ബാൽ ഇൻഡസ്ട്രീസ് (P). Ltd. തൊഴിൽ ജന്മഭൂമി, രാമപുരം	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	തൊഴിൽ ജന്മഭൂമി, രാമപുരം. ഇൻഡസ്ട്രീസ്	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	ക്രാനി നട്ടുനന്നാക്കൽ	
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡു നമ്പരും	26229 വില്ലേജ് ബ്ലോക്ക് നമ്പർ 13 - ഹർബർബർ 172/1, 177/2, 178/1, 178/2, 179/1 11 3898 മെരുർ	
ലൈസൻസ് കാലയളവ്	01/04/19 മുതൽ 16.03.2023 വരെ	
ഇടാക്കിയ ലൈസൻസ് ഫീസ്	25,000/- രൂപ	രസീത് നമ്പർ 118010103161 19/08/19
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരീക്ഷണ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരസ്ഥാനം)	1. Pollution Control Board's consent to operate No. PCB/IDK/OA -285/2018 dtd 29/05/18 2. State Environment Impact Assessment Authority of Kerala clearance Certificate - 1069/EC/2016 SEIAA dtd 17/03/18 3. Mining & Geology Director of Kerala letter of Intent no 759/18 -19/9924/123/2015/DMG dtd 06/02/19	



ഓഫീസ് മുദ്ര

ലൈസൻസ് ഡയറക്ടർ

സെക്രട്ടേറിയം

പുതുപ്പള്ളി ഗ്രാമപഞ്ചായത്ത്, വഴിതല പി.ഒ.

ഫോൺ: 04862 - 215099 (മു.രേഖ)

മൊബൈൽ: 9496045105



പുറപ്പുഴ ഗ്രാമപഞ്ചായത്തിൽ നിന്നും

1994ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും

അതേ തുടർനുള്ള ചട്ടങ്ങളും അനുസരിച്ച്

ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, സംരംഭങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

നമ്പർ : G5 1045/2023

തീയതി : 16.03.2023

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	സി.എ മുഹമ്മദ് ഇക്ബാൽ, കൊച്ചിൻ ബ്ലൂമെന്റൽ ഇൻഡസ്ട്രീസ് പ്രൈവറ്റ് ലിമിറ്റഡ്, രാമപുരം	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	കൊച്ചിൻ ബ്ലൂമെന്റൽ ഇൻഡസ്ട്രീസ് പ്രൈവറ്റ് ലിമിറ്റഡ്, രാമപുരം	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	ക്വാറി നടത്തുന്നതിന്	
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	പുറപ്പുഴ വില്ലേജ്, ബ്ലോക്ക് നമ്പർ 13, സർവ്വേ നമ്പർ 172/1, 177/1, 177/2, 178/1, 178/2, 179/1, 1.3898 ഹെക്ടർ	
ലൈസൻസ് കാലയളവ്	17-03-2023 മുതൽ 17-04-2024 വരെ	
ഇടപാടുകിയ ലൈസൻസ് ഫീസ്	25000 /- രൂപ	രസീത് നം: 118010103161 തീയതി: 19-03-2019
തൊഴിൽക്കരം	12500 /- രൂപ	രസീത് നം: 118010103161 തീയതി: 19-03-2019
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപപത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരസ്ഥാനം)	PCB Consent to operate PCB/IDK/OA- 285/2018 dtd 07/03/2023, Environment clearance certificate 1069/EC4/2016/SEIAA dtd 17/03/2018, Mining and Geology intent no 759/18-19/9924/M3/2015/DMG dtd 06/02/2019	



(Signature)

സെക്രട്ടറി

പുറപ്പുഴ ഗ്രാമപഞ്ചായത്ത്

A.R. USHA

Secretary, Purappuzha Grama Panchayat

Vazhithala P.O., Idukki Dist.

Kerala, India, Pin - 685 583

Ph: 04862 - 273049 (Office)

Mob: 9496045105

A22

16/03/2023, 04:53 pm

ലൈസൻസി താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

1. കേരള പഞ്ചായത്ത് രാജ് ആക്ടും അതോടനുബന്ധിച്ച ചട്ടങ്ങളും ലൈസൻസുകൾ അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. തൊഴിൽസ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്ത് അധികാരികൾക്കോ / സെക്രട്ടറി അധികാരിപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൗകര്യങ്ങൾ നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതാകുന്നു.
3. ഏതു സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് ഏറ്റുമാനും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി നൽകിയ പേരും ഫോട്ടോയും നമ്പരും ഉദ്യോഗവും കാണിക്കുന്ന ഒരു അടയാളപ്പുലക വെച്ചിരിക്കേണ്ടതാണ്.
4. പഞ്ചായത്തിൽനിന്നും അനുവാദം സിദ്ധിച്ച ശേഷമല്ലാതെ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലെന്നതും തൊഴിൽ നിർമ്മാണ പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതാകുന്നു.
5. തൊഴിൽസ്ഥലവും പരിസരങ്ങളും വൃത്തിയാക്കും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനാപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിന് വെച്ചിട്ടുള്ള കക്ഷണപദാർത്ഥങ്ങൾ ഇറച്ചി, അണക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
6. ഏതൊരു പ്രവൃത്തിവിവരത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
7. ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ ഏതെങ്കിലും ഭാഗത്ത് വിഴുതയോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചുവ്വമ്പരമ്പര ഉണ്ടാകരുത് അവയിലുള്ളതോ മറ്റു പദാർത്ഥമോ ശോചിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യേണ്ടതാണ്.
8. ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുരുക്കത്തിൽ അനുബന്ധത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപ്പറഞ്ഞ പരിസരത്തിലുള്ള താലൂക്കും നഗ്നപുരയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ ചുവ്വമ്പരമ്പര അനുബന്ധം ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ വലിഞ്ഞുവന്ന് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാടു തീർത്തു നിൽക്കരുതെന്നതാണ്.
9. ലൈസൻസി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടുചേർന്നുള്ള ഏതൊരു ഓരൂപാലും അടുത്തുമുള്ള കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാടുതീർത്തും വെച്ചിരിക്കേണ്ടതാണ്.
10. അവിടത്തും ആവശിക്കുന്ന കടകളുടെ ലൈസൻസ് നഷ്ടപ്പെടുന്നതാണ്.
11. ഏതെങ്കിലും തരത്തിലുള്ള താൽപ്പര്യമോ കഷ്ടതയോ, വൃണമോ പങ്കിട്ടുവെച്ചിട്ടുള്ളതോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലെന്നതാകുന്നു.
12. നിരോധിത ഫ്ലാസ്റ്റിക് ഇനങ്ങൾ ഉൾപ്പെടെയുള്ള കേടുകൾക്കോ ദോഷങ്ങൾക്കോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ പാടില്ല.
13. സ്ഥാപനത്തിന്റെ മേൽവശത്ത് സ്ഥലനാലും മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
14. 20 സീറ്റിൽ കൂടുതലുള്ള ഏറ്റവും വലിയ കെട്ടിടങ്ങൾക്ക് ഓരോ സീറ്റിനും ഓരോ വാർഡ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
15. നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൽപ്പാലം, ഇലക്ട്രിക്കൽ ഉപകരണങ്ങൾ സംഭരിച്ചു വെക്കുന്നതോ വിൽക്കുന്നതോ പാടില്ല.
16. ബാലവേല അനുവദിക്കുവാൻ പാടില്ല.
17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് നഷ്ടപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്.
18. പൊതുജനാവകാശിന്റെ 13-06-2020ലെ സ.ഉ. (സാധാ) 1877/2020/പൊ.ഉ.വ. ഉത്തരവ് പ്രകാരമുള്ള കോവിഡ് പ്രൊട്ടോക്കോൾ പാലിക്കണം.
19. തദ്ദേശ സ്വയംഭരണ വകുപ്പിന്റെ 22-07-2017ലെ സ.ഉ.(സാധാ) 2511/2017/ത.സ്വ.ഉ.വ. പ്രകാരമുള്ള ഉറവിട മാലിന്യ സംസ്കരണ സംവിധാനം സ്ഥാപിക്കണം.
20. മറ്റ് വകുപ്പുകളിൽ നിന്നും അനുവദിച്ചിട്ടുള്ള പെർമിറ്റുകൾ, ലൈസൻസ്, മറ്റ് ഓർഡറുകൾ എന്തിനും അതത് സമയങ്ങളിൽ പുറപ്പെടുവിക്കേണ്ടതാകുന്നു. അമൂലമായ പരക്കും പഞ്ചായത്ത് അനുവദിച്ചിട്ടുള്ള ലൈസൻസ് സ്വീകരണവും നൽകുന്നതാണ്.

മുദ്രിതപത്രം

1. മേൽപ്പറഞ്ഞ തിരുത്തലുകളിൽ കി. രാജു വഴുതിപ്പിൻ അനുബന്ധം നൽകേണ്ടതും മുദ്രിതപത്രം പാലിക്കേണ്ടതും പരിശോധിക്കുന്നതിനുള്ള ഉദ്യോഗസ്ഥർ അറിയിക്കുന്നു.

2. കൂടാതെ അതിൽ ഉൾപ്പെട്ട മറ്റേതെങ്കിലും ചട്ടങ്ങളും പാലിക്കേണ്ടതും.

(ഒപ്പ്)
സെക്രട്ടറി
പുറപ്പുഴ ഗ്രാമപഞ്ചായത്ത്

NB. ഈ ലൈസൻസ് വ്യവസ്ഥകൾക്ക് വിധേയമാണ്. അതിനാൽ പ്രത്യേകമായ ഒപ്പും നീലം ആവശ്യമില്ല. ഈ ലൈസൻസ് അനുവദിക്കുന്ന തീയതിക്ക് മുമ്പ് മി.വ.സ.ന.ക. ലൈസൻസിന്റെ അനുബന്ധം സമർപ്പിക്കേണ്ടതാണ്.



Secretary, Purappuzha Grama Panchayat
Vazhithala P.O., Idukki Dist.
Kerala, India, Pin - 685 583
Ph. 04862 - 273049 (Office)
Mob: 9496045105

A23



INTEGRATED ENVIRONMENTAL SOLUTIONS

Approved Laboratory By Kerala State Pollution Control Board
ENGINEERS & CONSULTANTS, CHEMISTS

Grace Building, Vadakenada, Thirunakkara, Kottayam-1

Ph: 0481-2302216, Mob: 9947248916, 9447659216

www.integratedenvironmentalsolutions.in, Email: ieslabkerala@gmail.com



Ambient Air Quality Monitoring Report

Client name & Address	Certificate No.	IES/AMB/RT/20241001/24
M/s. COCHIN BLUE METAL INDUSTRIES (P) LTD 1/69, Choozhikkara METHIRI P.O RAMAPURAM, KOTTAYAM	Date of Issue	22.03.2024
	Date of Monitoring	15.03.2024
Location : Village-Purapuzha Taluk-Thodupuzha Resurvey No. 1/172/1pt, 177/1pt, 178/1 pt, 178/2 pt, 179/1 pt		SPM Measurement at a distance of 40 m from the crusher

Parameters	Test method	Result	Limit
Particulate Matter (PM ₁₀)	IS 5182 Part 4 1999	74.0	100 ug/M3
Suspended particulate Matter	As per PCB Norms	122.5	500 ug/m3
Sulphur Dioxide	IS 5182 Part 2 2001	53.9	80 ug/m3
Nitrogen Dioxide	IS 5182 part 06 1975	47.0	80 ug/m3

This results are related only to the sample collected for analysis.
This certificate shall not be reproduced except in full and without the written permission with authorized signatory

Integrated Environmental Solutions

Authorized Signatory

B. N. NARAYANAN

Sr. Scientist

Rtd. Asst. Environmental Scientist
KSPCB



Our Services:

• Water Testing • Effluent Water Analysis • Air & Stack Emission Monitoring • Sound Level Test etc.



Estd 1999

INTEGRATED ENVIRONMENTAL SOLUTIONS

Approved Laboratory By Kerala State Pollution Control Board
ENGINEERS & CONSULTANTS, CHEMISTS

Grace Building, Vadakenada, Thirunakkara, Kottayam-1

Ph: 0481-2302216, Mob: 9947248916, 9447659216

www.integratedenvironmentalsolutions.in, Email: ieslabkerala@gmail.com



M/s. COCHIN BLUE METAL INDUSTRIES (P) LTD

METHIRI P.O

RAMAPURAM, KOTTAYAM

(Purapuzha, Thodupuzha)

WATER TEST REPORT

Report Number : IES/W/RT/202442074/24

Report date : 22.03.2024

Sample mark : Water Sample collected By Party

PAGE : 1 of 1

Sample description : Pond water

Received on : 15.03.2024

Sl.NO.	parameters	RESULTS	Requirement (acceptable limit) as per IS 10500, R2012 2 nd Rev.
1	pH	6.9	6.5 - 8.5
2	Colour Hazen unit	No colour	Agreeable
3	Odour	No odour	Agreeable
4	Turbidity (NTU)	ND	5
5	Total Dissolved Solids, mg/l	84.5	500
6	Total Alkalinity as CaCO ₃ (mg/L)	45.0	200
7	Chlorides as Cl ⁻ (mg/L)	24.0	250
8	Total Hardness as CaCO ₃ mg/l	42.0	200
9	Calcium as Ca mg/l	8.0	75
10	Magnesium as mg/l	4.9	30
11	Resi. Chlorine (mg/L)	ND	0.2
12	Amm. Nitrogen Mg (mg/L)	ND	0.5
13	Sulphates as SO ₄ ²⁻ (mg/L)	5.0	200
14	Total Iron as Fe (mg/L)	ND	0.3
15	Nitrite as NO ₂ ⁻ (mg/L)	ND	Absent
16	Nitrates as NO ₃ ⁻ (mg/L)	0.5	45
17	Total Coliforms /100ml	Nil	Absent
18	Fecal coliforms /100ml	Nil	Absent

Note - ND - Not detected

Remarks : Satisfactory Result.

[Signature]
Authorized Signatory
Sr. Scientist
Rtd. Asst. Environmental Scientist
KSPCB

Terms and condition:

- Test results shown in this test report related only to the items tested
- The test report shall not to be reproduced any where in full and in same format without the approval of the laboratory
- The test items will not be retained for more then 15 days from the date of issue of test report in the case of perishable items and 3 months in the case of metal samples unless otherwise agreed with the customer on as required by the applicable regulation (exceptional for microbiology and waste water)



Our Services:

• Water Testing • Effluent Water Analysis • Air & Stack Emission Monitoring • Sound Level Test etc.



INTEGRATED ENVIRONMENTAL SOLUTIONS

Approved Laboratory By Kerala State Pollution Control Board
ENGINEERS & CONSULTANTS, CHEMISTS



Grace Building, Vadakenada, Thirunakkara, Kottayam-1

Ph: 0481-2302216, Mob: 9947248916, 9447659216

www.integratedenvironmentalsolutions.in, Email: ieslabkerala@gmail.com

AMBIENT SOUND LEVEL MEASUREMENT

Sl.No	Client Name:	Certificate no. 2024003/24	Date of issued : 22.03.2024
	M/s. COCHIN BLUE METAL INDUSTRIES (P)LTD 1/69, Choozhikkara, METHIRI P.O RAMAPURAM, KOTTAYAM	Test method : IS 1680-1968	Date of monitoring : 15.03.2024
	Location : Location : Village-Purapuzha Taluk-Thodupuzha Resurvey No. 1/172/1pt, 177/1pt, 178/1 pt, 178/2 pt, 179/1 pt		
	Characteristics	Values Reported	Ambient sound level Limit
1	Ambient sound level	North 54.2	55 dB(A) day time
2	" "	South 53.5	55 dB(A)
3	" "	East 54.4	55 dB (A)
4	Ambient sound level	West 53.9	55 dB(A)

FOR INTEGRATED ENVIRONMENTAL SOLUTIONS



Authorized Signatory

B. N. NARAYANAN

Sr. Scientist

Rtd. Asst. Environmental Scientist

KSPCB



Our Services:

• Water Testing • Effluent Water Analysis • Air & Stack Emission Monitoring • Sound Level Test etc.

IN THE HIGH COURT OF KERALA AT ERNAKULAM
PRESENT
THE HONOURABLE MRS. JUSTICE ANU SIVARAMAN



Tuesday, the 4th day of April 2023 / 14th Chaithra, 1945
WP(C) NO. 12082 OF 2023

PETITIONER:

COCHIN BLUE METAL INDUSTRIES (PVT.) LTD., REPRESENTED BY ITS
DIRECTOR CLEMENT K. JOSE, AGED 53 YEARS, METHIRI P.O., RAMAPURAM,
KOTTAYAM DISTRICT, KERALA, PIN - 686576.

RESPONDENTS:

1. THE GEOLOGIST, DISTRICT OFFICE – IDUKKI, MINI CIVIL STATION,
THODUPUZZHA, IDUKKI DISTRICT, KERALA, GEO.IDU.DMG@KERALA.GOV.IN, PIN
- 685584.
2. THE DIRECTOR, DIRECTORATE OF MINING AND GEOLOGY, KESAVADASAPURAM,
PATTOM PALACE P.O., THIRUVANANTHAPURAM DISTRICT, KERALA,
DIRECTOR.DIR.DMG@KERALA.GOV.IN, PIN - 695004.
3. STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA) - KERALA,
REPRESENTED BY ITS MEMBER SECRETARY, 4TH FLOOR, KSRTC TERMINAL
COMPLEX, THAMPANOR, THIRUVANANTHAPURAM DISTRICT, KERALA,
SEACSEIAAKERALA@GMAIL.COM, PIN - 695001.
4. MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHALLENGE (MOEF & CC) -
GOVERNMENT OF INDIA, REPRESENTED BY ITS SECRETARY INDIRA PARYAVARAN
BHAWAN, JORBAGH ROAD, NEW DELHI, SECY-MOEF@NIC.IN, PIN - 110003.

Writ petition (civil) praying inter alia that in the circumstances
stated in the affidavit filed along with the WP(C) the High Court be
pleased to issue transit passes to the petitioner under Rule 26 of the
Kerala Minerals (Prevention of Illegal Mining, Storage and Transportation)
Rules, 2015 extending the benefit of Exhibit P4 Notification and to avail
the same till pendency of the above Writ Petition.

This petition coming on for orders upon perusing the petition and
the affidavit filed in support of WP(C) and upon hearing the arguments of
M/S MOHAMMED SADIQUE.T.A, T.H.ABDUL AZEEZ, K.M.MOHAMMED YUSUFF,
K.P.MAJEED, SHANKAR V. & P.A.ABDUL MAJEED Advocates for the petitioner and
of GOVERNMENT PLEADER for R1, the court passed the following:



ANU SIVARAMAN, J

=====

W.P.(C). No.12082 of 2023

=====

Dated this the 4th day of April, 2023

ORDER

Admit.

2. The learned Government Pleader takes notice for respondents 1 and 2. The learned Standing Counsel takes notice for the 3rd respondent. The learned DSGI takes notice for the 4th respondent.

3. In the light of interim orders passed in connected cases, there will be a direction to the 1st respondent to issue transit pass to the petitioner under Rule 26 of the Kerala Minerals (Prevention of Illegal Mining Storage and Transportation) Rules, 2015, extending the benefit of Ext.P4 notification under S.O.No.1807(E) dated 12.04.2022 of the Ministry of Environment, Forest and Climate Change, pending disposal of the writ petition. Needless to say, this will be subject to the availability of project life and mineable mineral reserves and on condition that the petitioner holds all other statutory permits/licences/consent and on a further condition that the mining plan of



W.P.(C). No.12082 of 2023

2

the petitioner is current and valid. The issuance of such licence/pass will be subject to further orders in the writ petition.

Post along with connected cases.

Sd/-

ANU SIVARAMAN**JUDGE**

NP



HIGH COURT OF KERALA

CERTIFIED COPY


APPENDIX OF WP(C) 12082/2023

Exhibit P1	TRUE COPY OF THE ENVIRONMENTAL CLEARANCE NO. 15/2018 DATED 17.03.2018 ISSUED BY THE 3RD RESPONDENT HEREIN - SEIAA, KERALA
Exhibit P2	TRUE COPY OF NOTIFICATION NO. S. O. 221 (E) DATED 18.01.2021 ISSUED BY THE 4TH RESPONDENT
Exhibit P3	TRUE COPY OF THE JUDGEMENT OF THE HONOURABLE HIGH COURT OF KERALA IN W. P. (C) NO. 17533 OF 2020 AND CONNECTED CASES DATED 02.11.2020
Exhibit P4	TRUE COPY OF THE NOTIFICATION NO. S. O. 1807 (E) DATED 12.04.2022 ISSUED BY THE 4TH RESPONDENT
Exhibit P5	TRUE COPY OF THE RELEVANT PAGES OF THE MINING PLAN AS APPROVED BY THE 1ST RESPONDENT ON 18.12.2015
Exhibit P6	TRUE COPY OF THE COMMUNICATION NO. DOI/1115/M/15 BY THE 1ST RESPONDENT DATED 18.12.2015
Exhibit P7	TRUE COPY OF THE COMMUNICATION NO. DOI/1115/M/2015 BY THE 1ST RESPONDENT DATED 20.01.2023
Exhibit P8	TRUE COPY OF THE INTERIM ORDER DATED 03.06.2022 IN W. P. (C) NO. 14264/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P9	TRUE COPY OF THE INTERIM ORDER DATED 16.09.2022 IN W. P. (C) NO. 29452/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P10	TRUE COPY OF THE INTERIM ORDER DATED 19.09.2022 IN W. P. (C) NO. 29294/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P11	TRUE COPY OF THE INTERIM ORDER DATED 06.10.2022 IN W. P. (C) NO. 31467/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P12	TRUE COPY OF THE INTERIM ORDER DATED 25.10.2022 IN W. P. (C) NO. 33716/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P13	TRUE COPY OF THE INTERIM ORDER DATED 25.10.2022 IN W. P. (C) NO. 33744/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P14	TRUE COPY OF THE INTERIM ORDER DATED 03.11.2022 IN W. P. (C) NO. 34722/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P15	TRUE COPY OF THE INTERIM ORDER DATED 03.11.2022 IN W. P. (C) NO. 34489/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P16	TRUE COPY OF THE INTERIM ORDER DATED 04.11.2022 IN W. P. (C) NO. 35380/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P17	TRUE COPY OF THE INTERIM ORDER DATED 07.11.2022 IN W. P. (C) NO. 35537/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P18	TRUE COPY OF THE INTERIM ORDER DATED 09.11.2022 IN W. P. (C) NO. 35861/2022 OF THE HONOURABLE HIGH COURT OF KERALA
Exhibit P19	TRUE COPY OF THE INTERIM ORDER DATED 28.11.2022 IN W. P. (C) NO. 38277/2022 OF THE HONOURABLE HIGH COURT OF KERALA



Exhibit P20

TRUE COPY OF THE INTERIM ORDER DATED 06.12.2022 IN W.
P. (C) NO. 39384/2022 OF THE HONOURABLE HIGH COURT OF
KERALA

Exhibit P21

TRUE COPY OF THE INTERIM ORDER DATED 14.12.2022 IN W.
P. (C) NO. 40468/2022 OF THE HONOURABLE HIGH COURT OF
KERALA

Exhibit P22

TRUE COPY OF THE INTERIM ORDER DATED 02.03.2023 IN W.
P. (C) NO. 6617/2023 OF THE HONOURABLE HIGH COURT OF
KERALA

Exhibit P23

TRUE COPY OF THE INTERIM ORDER DATED 09.03.2023 IN W.
P. (C) NO. 7134/2023 OF THE HONOURABLE HIGH COURT OF
KERALA



HIGH COURT OF KERALA

CERTIFIED COPY

Validity unknown

Digitally Signed by:
M V LALITHA
HIGH COURT OF KERALA ERNAKULAM
ADMINISTRATION

Date: 2023-04-06T10:35:17.1351636+05:30



A3J